

A Needs Assessment of the Fire Service MISSOURI



June 2004



A Needs Assessment of the Fire Service MISSOURI



John R. Hall, Jr., Ph.D.
Michael J. Karter, Jr.
Fire Analysis & Research Division
NFPA
1 Batterymarch Park
Quincy, MA 02169-7471

June 2004

FOREWORD

When the national results of the first comprehensive study of the needs of the U.S. fire service were released in 2002 by NFPA for Congress, I described it as a call to action. That study showed clearly that most fire departments in the U.S. severely lack resources to respond to challenging incidents like terrorism.

Today's fire service is a broad-spectrum emergency-response service, as well as a leader in the drive to prevent emergencies. In area after area of critical importance to our safety, fire departments are attempting to operate with insufficient personnel, equipment, and training. Nowhere is this shortfall more evident than in the area of terrorism preparedness.

Now firefighters are faced with additional needs, including specialized training and equipment to combat terrorism. In all sizes of communities, most departments don't have that training or that equipment.

This concise state version of the needs assessment for your fire service will help policymakers and others closely examine where individual shortfalls exist and work toward providing greater safety for citizens in your state and the firefighters who protect them.

James M. Shannon President NFPA May 2004

ACKNOWLEDGEMENTS

This study is based on data collected in a cooperative study by NFPA and the U.S. Department of Homeland Security, Federal Emergency Management Agency, U.S. Fire Administration. Thanks to the many people in the USFA whose comments, ideas, and recommendations shaped our approach. Particular thanks to Project Officer Mark A. Whitney, who not only provided sound technical guidance but also helped us through innumerable procedural steps.

Thanks to the many fire departments who carefully reviewed their departments' capabilities and described those capabilities in forms submitted to us for use in this study.

Thanks to the many individuals who guided us in selecting the most important questions to ask and the most appropriate interpretations of answers received. These include our Technical Advisory Group:

- Steve Coffman, Captain, Dallas (TX) Fire Department
- Arthur Cota, Director, California Fire Service Training
- Robert DiPoli, Chief, Needham (MA) Fire Department
- Jeff Dyar, U.S. Fire Administration
- Dr. James Genovese, US Army Soldier and Biological Chemical Command, Aberdeen Proving Grounds
- Joseph Kay, Battalion Chief, Dallas (TX) Fire Department
- Eric Lamar, International Association of Fire Fighters
- Edward Plaugher, Chief, Arlington County (VA) Fire Department
- Ernest Russell, State Fire Marshal, Illinois
- Gary Santoro, Fire Marshal, Wethersfield (CT) Fire Department
- Heather Schafer, Executive Director, National Volunteer Fire Council
- Eric Tolbert, formerly Administrator, North Carolina Emergency Management, and currently on staff with FEMA
- Jeff Wagoner, Campbell County (WY) Fire Department
- Mark A. Whitney, Fire Programs Specialist, U.S. Fire Administration

We also received extensive and essential comments at several stages from colleagues at NFPA:

- Gary Tokle, Assistant Vice President, Public Fire Protection Division
- Carl Peterson, Assistant Director, Public Fire Protection Division
- Steven Foley, Senior Fire Service Specialist, Public Fire Protection Division
- Bruce Teele, Senior Fire Service Specialist, Public Fire Protection Division
- Rita Fahy, Manager Fire Data Bases and Systems, Fire Analysis & Research Division

Lastly, thanks to the administrative personnel at NFPA, whose painstaking attention to detail and extended hours of work were instrumental in transforming a set of questions and a stack of forms into a unique database and this analysis report:

- John Baldi
- John Conlon
- Frank Deely
- Myles O'Malley
- Kevin Tape
- Norma Candeloro
- Helen Columbo
- Laurie Eisenhauer

For these state-specific reports, special thanks go to Helen Columbo for document preparation and to Helen and Marty Ahrens for proofreading.

EXECUTIVE SUMMARY

PL 106-398, Section 1701, Sec. 33 (b) required that the Director of the Federal Emergency Management Agency (FEMA) conduct a study in conjunction with the National Fire Protection Association (NFPA) to

- (a) define the current role and activities associated with the fire services;
- (b) determine the adequacy of current levels of funding; and
- (c) provide a needs assessment to identify shortfalls.

The Fire Service Needs Assessment Survey was conducted as a census, with appropriate adjustments for non-response. The NFPA used its own list of local fire departments as the mailing list and sampling frame of all fire departments in the US. The Fire Service Needs Assessment Survey was sent only to departments with administrative and reporting responsibilities, in order to minimize double-counting. This means that the total number of departments we contacted may be much lower than the total number of departments in the state, as reflected in the state's own records. The data in this state report is least affected by this discrepancy in results reported separately by community size. Any statistics for the entire state must be used with caution and may not give sufficient weight to conditions in the smallest communities. For Missouri, we analyzed responses from 347 of the 682 fire departments in the state.

Analysis of the results by state was done by NFPA after and outside of the Fire Service Needs Assessment Survey contract. Those results have not been reviewed or approved by anyone at the Department of Homeland Security (new parent agency of FEMA).

All statistics calculated as percents of firefighters are based on percents of departments by population interval, combined with national figures on ratios of firefighters per department between population intervals. Ratios have not been developed for individual states.

Personnel and Their Capabilities

- In communities with less than 2,500 population, 25% of fire departments, nearly all of them all- or mostly-volunteer departments, deliver an average of 4 or fewer volunteer firefighters to a mid-day house fire. Because these departments average only one career firefighter per department, it is likely that most of these departments often fail to deliver the minimum of 4 firefighters needed to safely initiate an interior attack on such a fire.
- Of fire departments that protect communities of at least 10,000 population, 0-80%, depending on population interval, have fewer than 4 career firefighters assigned to first-due engine companies. It is likely that, for many of these departments, the first arriving complement of firefighters often falls short of the minimum of 4 firefighters needed to safely initiate an interior attack on a structure

fire, thereby requiring the first-arriving firefighters to wait until the rest of the first-alarm responders arrive.

- An estimated 35% of firefighters are involved in structural firefighting but lack formal training in those duties.
- An estimated 32% of fire department personnel involved in delivering emergency medical services (EMS) lack formal training in those duties.
- An estimated 37% of firefighters serve in fire departments with no program to maintain basic firefighter fitness and health.

Facilities, Apparatus and Equipment

- An estimated 383 fire stations (31% of total fire stations) are estimated to be at least 40 years old, an estimated 880 fire stations (72%) have no backup power, and an estimated 1,057 fire stations (86%) are not equipped for exhaust emission control.
- Using maximum response distance guidelines from the Insurance Services Office and simple models of response distance as a function of community area and number of fire stations, developed by the Rand Corporation, it is estimated that three-fifths to three-fourths of fire departments nationally have too few fire stations to meet the guidelines. Statistics specific to Missouri have not been developed.
- An estimated 281 engines (14% of all engines) are 15 to 19 years old, another 499 (26%) are 20 to 29 years old, and another 508 (26%) are at least 30 years old. Therefore, 66% of all engines are at least 15 years old.
- An estimated 35% of the emergency responders on a shift lack portable radios.
- An estimated 34% of firefighters per shift are not equipped with self-contained breathing apparatus (SCBA).
- An estimated 49% of emergency responders per shift are not equipped with personal alert system (PASS) devices.
- An estimated 13% of firefighters lack personal protective clothing.

Ability to Handle Unusually Challenging Incidents

• Only 13% of fire departments can handle a <u>technical rescue with EMS at a</u> structural collapse of a building with 50 occupants with local trained personnel.

- > 38% of all departments consider such an incident outside their scope.
- ➤ Only 12% can handle the incident with local specialized equipment.
- ➤ Only 21% have a written agreement to direct use of non-local resources.
- ➤ All needs are greater for smaller communities.
- Only 13% of fire departments can handle a <u>hazmat and EMS incident involving</u> <u>chemical/biological agents and 10 injuries</u> with local trained personnel.
 - ➤ 40% of all departments consider such an incident outside their scope.
 - ➤ Only 10% can handle the incident with local specialized equipment.
 - ➤ Only 21% have a written agreement to direct use of non-local resources.
 - ➤ All needs are greater for smaller communities.
- Only 26% of fire departments can handle a <u>wildland/urban interface fire affecting</u> 500 acres with local trained personnel.
 - ➤ 31% of all departments consider such an incident outside their scope.
 - ➤ Only 25% can handle the incident with local specialized equipment.
 - ➤ Only 34% have a written agreement to direct use of non-local resources.
- Only 10% of fire departments can handle <u>mitigation of a developing major flood</u> with local trained personnel.
 - ➤ 58% of departments consider such an incident outside their scope.
 - ➤ Only 9% can handle the incident with local specialized equipment.
 - ➤ Only 13% have a written agreement to direct use of non-local resources.

TABLE OF CONTENTS

Foreword	i
Acknowledgements	iii
Executive Summary	v
Table of Contents	ix
List of Tables and Figures	xi
Introduction	1
The US Fire Service	3
Personnel and Their Capabilities	5
Facilities, Apparatus and Equipment	21
Ability to Handle Unusually Challenging Incidents	41
Appendix 1: Survey Methodology	73
Appendix 2: Survey Form	74

LIST OF TABLES AND FIGURES

Table 1. Department Type	4
Figure 1. Estimated Percent of Firefighters Involved in Structural	
Firefighting Who Lack Formal Training	6
Table A. Estimated Number of Firefighters Involved in Structural	_
Firefighting Who Lack Formal Training	7
Figure 2. Estimated Percent of Personnel Involved in EMS Who Lack	0
Formal Training	8
Table B. Estimated Percentage of Personnel Involved in EMS Who Lack Formal Training	9
Figure 3. Estimated Percent of Firefighters Whose Fire Departments	
Have No Programs to Maintain Basic Firefighter Fitness and Health Table C. Estimated Percent of Firefighters Whose Fire Departments	10
Have No Program to Maintain Basic Firefighter Fitness and Health Table 2. For All- or Mostly-Volunteer Departments, Average Number of	11
Volunteer Firefighters Who Respond to a Mid-Day House Fire	12
Table 3. For All- or Mostly-Career Departments, Number of Career	
Firefighters Assigned to an Engine/Pumper Apparatus	13
Table 4. Does Department Provide Structural Firefighting?	14
Table 5. For Departments That Provide Structural Firefighting, How Many Personnel Who Perform This Duty Have Received Formal	
Training?	15
Table 6. Does Department Provide Emergency Medical Service (EMS)?	16
Table 7. For Departments That Provide Emergency Medical Service, How Many Personnel Who Perform This Duty Have Received	
Formal Training?	17
Table 8. Does Department Provide Hazardous Material Response?	18
Table 9. Does Department Provide Technical Rescue Service?	19
Table 10. Does Department Have a Program to Maintain Basic	
Firefighter Fitness and Health?	20
Table D. Number of Fire Stations With Characteristics Indicating	
Potential Need	21
Figure 4. Percent of Engines and Pumpers That Are At Least 15 Years	
Old	25
Table E. Number of Engines in Service, Limited to Engines At Least 15	
Years Old	26
Figure 5. Percent of Emergency Responders on a Shift Who Lack Radios	27

LIST OF TABLES AND FIGURES (Continued)

Table F. Emergency Responders on a Shift Who Lack Radios	28
Figure 6. Percent of Firefighters per Shift Lacking Self-Contained	20
Breathing Apparatus (SCBA)	29
Table G. Firefighters per Shift Lacking SCBA	30
Figure 7. Percent of Emergency Responders per Shift Lacking Personal	
Alert Safety System (PASS) Devices	31
Table H. Estimated Average Percent of Emergency Responders per Shift	
Not Provided With PASS Devices	32
Eigene 9 Estimated Dancart of Einsfightens I calving Dancard Dustrative	
Figure 8. Estimated Percent of Firefighters Lacking Personal Protective	22
Clothing	33
Table I. Firefighters in Department Where Not All Firefighters Are	
Equipped With Personal Protective Clothing	34
Table 11. Number of Fire Stations and Selected Characteristics	35
Table 12. Average Number of Engines/Pumpers and Ambulances in	
Service and Age of Engine/Pumper Apparatus	36
Table 13. How Many of Department's Emergency Responders on a	
Single Shift Are Equipped With Portable Radios?	37
Table 14. How Many Emergency Responders on a Single Shift Are	
Equipped With Self-Contained Breathing Apparatus (SCBA)?	38
Table 15. What Fraction of Emergency Responders on a Single Shift Are	
Equipped With Personal Alert Safety System (PASS) Devices?	39
Table 16. What Fraction of Emergency Responders Are Equipped With	
Personal Protective Clothing?	40
Table J. Departments by Whether They Can Handle This Kind of	
Incident and Where They Obtain Necessary Personnel With	
Specialized Training [Technical Rescue and EMS at Structural	
Collapse With 50 Occupants]	42
Table K. Departments by Whether They Can Handle This Kind of	72
<u> </u>	
Incident and Where They Obtain the Necessary Specialized	
Equipment [Technical Rescue and EMS at Structural Collapse With	40
50 Occupants]	43
Table L. Departments by Whether They Can Handle This Kind of	
Incident and Type of Plan for Using Non-Local Resources [Technical	
Rescue and EMS at Structural Collapse With 50 Occupants]	44
Table M. Departments by Whether They Can Handle This Kind of	7 7
Incident and Where They Obtain Necessary Personnel With	
· · · · · · · · · · · · · · · · · · ·	
Specialized Training [Hazmat and EMS for Incident Involving	4 -
Chemical/Biological Agents and 10 Injuries]	46

LIST OF TABLES AND FIGURES (Continued)

Table N. Departments by whether They Can Handle This Kind of	
Incident and Where They Obtain the Necessary Specialized	
Equipment [Hazmat and EMS for Incident Involving	
Chemical/Biological Agents and 10 Injuries]	47
Table O. Departments by Whether They Can Handle This Kind of	
Incident and Type of Plan for Using Non-Local Resources [Hazmat	
and EMS for Incident Involving Chemical/Biological Agents and 10	
Injuries]	48
Table P. Departments by Whether They Can Handle This Kind of	
Incident and Where They Obtain Necessary Personnel With	
Specialized Training [Wildland/Urban Interface Fire Affecting 500	
Acres]	50
Table Q. Departments by Whether They Can Handle This Kind of	
Incident and Where They Obtain the Necessary Specialized	
Equipment [Wildland/Urban Interface Fire Affecting 500 Acres]	51
Table R. Departments by Whether They Can Handle This Kind of	
Incident and Type of Plan for Using Non-Local Resources	
[Wildland/Urban Interface Fire Affecting 500 Acres]	52
Table S. Departments by Whether They Can Handle This Kind of	
Incident and Where They Obtain Necessary Personnel With	
Specialized Training [Mitigation of a Developing Major Flood]	54
Table T. Departments by Whether They Can Handle This Kind of	51
Incident and Where They Obtain the Necessary Specialized	
Equipment [Mitigation of a Developing Major Flood]	55
Table U. Departments by Whether They Can Handle This Kind of	33
Incident and Type of Plan for Using Non-Local Resources	
	56
[Mitigation of a Developing Major Flood]	30
Table 17. Is Technical Rescue and EMS for a Building With 50	
Occupants After Structural Collapse Within the Scope of	57
Department?	57
Table 18. For Departments Where Technical Rescue and EMS for a	
Building With 50 Occupants After Structural Collapse Is Within	
Their Scope, How Far Do They Have to Go to Obtain Sufficient	
People With Specialized Training to Handle Such an Incident?	58
Table 19. For Departments Where Technical Rescue and EMS for a	
Building With 50 Occupants After Structural Collapse Is Within	
Their Scope, How Far Do They Have to Go to Obtain Sufficient	
Specialized Equipment to Handle Such an Incident?	59
Table 20. For Departments Where Technical Rescue and EMS for a	3)
Building With 50 Occupants After Structural Collapse Is Within	
Their Scope. Do They Have a Plan for Working With Others?	60
THE HANDE TO THE VITAVE AT 1811 TO WOLKING WILL CHIELS!	(11)

LIST OF TABLES AND FIGURES (Continued)

Table 21. Is a Hazmat and EMS Incident Involving Chemical/Biological	
Agents and 10 Injuries Within the Scope of Department?	61
Table 22. For Departments Where a Hazmat and EMS Incident	
Involving Chemical/Biological Agents and 10 Injuries Is Within	
Their Scope, How Far Do They Have to Go to Obtain Sufficient	
People With Specialized Training to Handle Such an Incident?	62
Table 23. For Departments Where a Hazmat and EMS Incident	
Involving Chemical/Biological Agents and 10 Injuries Is Within	
Their Scope, How Far Do They Have to Go to Obtain Sufficient	
Specialized Equipment to Handle Such an Incident?	63
Table 24. For Departments Where a Hazmat and EMS Incident	
Involving Chemical/Biological Agents and 10 Injuries Is Within	
Their Scope, Do They Have a Plan for Working With Others?	64
Table 25. Is a Wildland/Urban Interface Fire Affecting 500 Acres Within	
the Scope of Department?	65
Table 26. For Departments Where a Wildland/Urban Interface Fire	
Affecting 500 Acres Is Within Their Scope, How Far Do They Have	
to Go to Obtain Sufficient People With Specialized Training to	
Handle Such an Incident?	66
Table 27. For Departments Where a Wildland/Urban Interface Fire	
Affecting 500 Acres Is Within Their Scope, How Far Do They Have	
to Go to Obtain Sufficient Specialized Equipment to Handle Such an	
Incident?	67
Table 28. For Departments Where a Wildland/Urban Interface Fire	
Affecting 500 Acres Is Within Their Scope, Do They Have a Plan for	
Working With Others?	68
Table 29. Is Mitigation of a Developing Major Flood Within the Scope	
of Department?	69
Table 30. For Departments Where Mitigation of a Developing Major	
Flood Is Within Their Scope, How Far Do They Have to Go to	
Obtain Sufficient People With Specialized Training to Handle Such	
an Incident?	70
Table 31. For Departments Where Mitigation of a Developing Major	
Flood Is Within Their Scope, How Far Do They Have to Go to	
Obtain Sufficient Specialized Equipment to Handle Such an Incident?	71
Table 32. For Departments Where Mitigation of a Developing Major	
Flood Is Within Their Scope, Do They Have a Plan for Working With	
Others?	72

INTRODUCTION

PL 106-398, Section 1701, Sec. 33(b) required that the Director of the Federal Emergency Management Agency (FEMA) conduct a study in conjunction with the National Fire Protection Association (NFPA) to

- (a) define the current role and activities associated with the fire services;
- (b) determine the adequacy of current levels of funding; and
- (c) provide a needs assessment to identify shortfalls.

The questionnaire developed to meet this requirement principally involved multiple approaches to answering the question "what does the fire department need?". Most of the questions were intended to determine what fire departments have, in a form that could be compared to existing standards or formulas that set out what fire departments should have. Some of the questions asked what fire departments have with respect to certain cutting-edge technologies for which no standards yet exist and no determinations of need have yet been proposed.

The questionnaire also sought to define the emergency-response tasks that fire departments considered to be within their scope. For such tasks the survey asked how far departments would have to go to obtain the resources necessary to address those tasks or an illustrative incident of that type. Clearly, if departments believe the resources they would need are only available from sources separated from them by great distance – and the associated likelihood of significant delay in attaining those resources, then there may be a need for planning, training, or arrangements for equipment that can be more quickly accessed and deployed, to assure timely and effective response.

See Appendix 2 for a copy of the questionnaire.

Glossary

Here are standard definitions for some of the specialized terms used in this report:

Advanced Life Support. Functional provision of advanced airway management, including intubation, advanced cardiac monitoring, manual defibrillation, establishment and maintenance of intravenous access, and drug therapy. [from NFPA 1710, Standard for the Organization and Deployment of Fire Suppression Operations, Emergency Medical Operations, and Special Operations to the Public by Career Fire Departments, 2001 edition.]

<u>Basic Life Support</u>. Functional provision of patient assessment, including basic airway management; oxygen therapy; stabilization of spinal, musculo-skeletal, soft tissue, and shock injuries; stabilization of bleeding; and stabilization and intervention for sudden illness, poisoning and heat/cold injuries, childbirth, CPR, and automatic external defibrillator (AED) capability. [from NFPA 1710, *Standard for the Organization and Deployment of Fire Suppression Operations, Emergency Medical Operations, and Special Operations to the Public by Career Fire Departments*, 2001 edition.]

Emergency Medical Care. The provision of treatment to patients, including first aid, cardiopulmonary resuscitation (CPR), basic life support (EMT level), advanced life support (Paramedic level), and other medical procedures that occur prior to arrival at a hospital or other health care facility. [from NFPA 1581, *Standard on Fire Department Infection Control Program*, 2000 edition] In this report, reference is made to "EMS" or "emergency medical service," which is the service of providing emergency medical care.

<u>First Responder (EMS)</u>. Functional provision of initial assessment (i.e., airway, breathing, and circulatory systems) and basic first-aid intervention, including CPR and automatic external defibrillator (AED) capability. [from NFPA 1710, *Standard for the Organization and Deployment of Fire Suppression Operations, Emergency Medical Operations, and Special Operations to the Public by Career Fire Departments*, 2001 edition.]

<u>Hazardous Material</u>. A substance that presents an unusual danger to persons due to properties of toxicity, chemical reactivity, or decomposition, corrosivity, explosion or detonation, etiological hazards, or similar properties. [from NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, 1997 edition.]

<u>Structural Fire Fighting</u>. The activities of rescue, fire suppression, and property conservation in buildings, enclosed structures, aircraft interiors, vehicles, vessels, aircraft, or like properties that are involved in a fire or emergency situation. [from NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, 1997 edition.]

<u>Technical Rescue</u>. The application of special knowledge, skills, and equipment to safely resolve unique and/or complex rescue situations. [from NFPA 1670, *Standard on Operations and Training for Technical Rescue Incidents*, 1999 edition.]

<u>Wildland/Urban Interface</u>. The line, area, or zone where structures and other human development meet or intermingle with undeveloped wildland or vegetative fuels. [from NFPA 295, *Standard for Wildfire Control*, 1998 edition]

THE US FIRE SERVICE

Career and Volunteer Fire Departments

Most fire departments are volunteer fire departments, but career firefighters account for a much larger share of population protected than of departments. Table 1 provides an overview of Missouri fire departments by type of department and population protected.

Volunteers are concentrated in rural communities, while career firefighters are found disproportionately in large communities. All- or mostly-career departments account for half or more of departments down to communities of at least 25,000 population. Rural communities, defined by the US Bureau of Census as a community with less than 2,500 population, are all protected by all- or mostly-volunteer departments, and these communities account for 61% of all the all- or mostly-volunteer departments in Missouri.

Community size is related to the US fire service not only in terms of the relative emphasis on career vs. volunteer firefighters but also in terms of the challenges faced by local departments. However, it is possible to exaggerate those differences. Even a rural community can have a large factory complex, a large stadium, or even a high-rise building, with all the technical complexities and potential for high concentration of people or valued property that such a property entails. Even a large city can have a wildland/urban interface region and exposure to the unique fire dangers attendant on such an area. It is likely that every fire department will need to have some familiarity with every type of fire and every type of emergency, if not as part of protecting their own community, then at least in their role as a source of mutual aid or a component of regional or even national response to a major incident.

In any community, fire burns the same way in open or in enclosed spaces. Fire harms people and property in the same ways. And the resources and best practices required to safely address the fire problem – or any other major emergency – tend to be the same everywhere. What may differ is the defined scope of responsibility of the local fire department and the quality and quantity of resources available to the department to perform those responsibilities.

Table 1
Department Type, by Community Size (Q. 1, 7, 8)

		All reer		ostly reer		ostly unteer		All unteer	To	otal
Population of Community	Number Depts	Percent	Number Depts	Percent	Number Depts	Percent	Number Depts	Percent	Number Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%
100,000 to 249,999	2	66.7%	1	33.3%	0	0.0%	0	0.0%	3	100.0%
50,000 to 99,999	8	70.0%	4	30.0%	0	0.0%	0	0.0%	12	100.0%
25,000 to 49,999	12	47.4%	9	36.8%	0	0.0%	4	15.8%	25	100.0%
10,000 to 24,999	18	25.4%	15	20.6%	26	36.5%	12	17.5%	71	100.0%
5,000 to 9,999	9	8.6%	5	5.2%	37	36.2%	51	50.0%	102	100.0%
2,500 to 4,999	3	2.9%	0	0.0%	15	14.3%	85	82.9%	103	100.0%
Under 2,500	0	0.0%	0	0.0%	9	2.4%	355	97.6%	364	100.0%
Total	54	7.9%	34	4.9%	86	12.7%	508	74.5%	682	100.0%

Type of department is broken into four categories. All-career departments are comprised of 100% career firefighters. Mostly-career departments are comprised of 51 to 99% career firefighters, while mostly-volunteer departments are comprised of 1 to 50% career firefighters. All-volunteer departments are comprised of 100% volunteer firefighters.

Numbers may not add to totals due to rounding.

The Fire Service Needs Assessment Survey was sent only to departments with administrative and reporting responsibilities, in order to minimize double-counting. This means that the total number of departments we contacted may be much lower than the total number of departments in the state, as reflected in the state's own records. The data in this state report is least affected by this discrepancy in results reported separately by community sizes. Any statistics for the entire state must be used with caution and may not give sufficient weight to conditions in the smallest communities.

- Q. 1: Population (number of permanent residents) your department has primary responsibility to protect (excluding mutual aid areas)
- Q. 7: Total number of full-time (career) uniformed firefighters
- Q. 8: Total number of active part-time (call or volunteer) firefighters

PERSONNEL AND THEIR CAPABILITIES

Adequacy of Number of Firefighters Responding

Tables 2-3 provide statistics on the percentage of all- or mostly-career fire departments that assigned less than 3, 3, 4, or more than 4 career firefighters to an engine/pumper apparatus and the percentage of all- or mostly-volunteer fire departments that responded with less than 3, 3-4, or more than 4 volunteer firefighters to a mid-day house fire.

In the national report, the indicators of response profiles were compared to recently adopted standards regarding the minimum complement of firefighters to permit an interior attack on a structural fire with adequate safeguards for firefighter safety. The comparisons were complicated, however, because most fire departments have both career and volunteer firefighters, while the survey asked only about responses by career firefighters alone or volunteer firefighters alone.

Also, in considering the results below, keep in mind that "adequacy" is being assessed here relative to only one of the several objectives of a fire department confronted with a serious fire – the protection of the firefighters themselves from unreasonable risk of injury or death. Relative success in meeting this objective will not necessarily imply anything about the department's ability to reliably achieve the other departmental suppression objectives, whether those be preventing conflagrations, preventing fire from involving an entire large structure, or intervening decisively before the onset of flashover in the room of fire origin.

In addition, success in meeting any of these objectives involves more than a sufficiency of personnel. Equipment of many types is also needed, as are skills and knowledge, as achieved through training and certification. Each of these areas of need is addressed in different parts of the survey.

In Missouri's all- or mostly-career fire departments, 0-80%, depending on population interval, assigned fewer than 4 firefighters to an engine.

While the gap between assignments and the new requirements can be made up by volunteers or in other ways, an analysis was done on the national data of the estimated total gap in career firefighters, assuming that the gap represented a real need for additional staff. That estimate came out to a need for about one additional career firefighter for every five now serving. Estimates were not possible for volunteers even at the national level, though it was clear that gaps exist there as well. And the proportional need tended to be greater the smaller the community size.

The need for career firefighters can be estimated as a 33% increase for departments that respond with 3 firefighters (adding 1 to 3 to make 4 is a 33% increase) and a 50% increase for departments that respond with 1-2 firefighters (adding 2 to 2 to make 4 is a

50% increase). Based on this rough formula, Missouri's need for career firefighters translates into an 11-27% increase for communities of 10,000 to 249,999 population.

Extent of Training, by Type of Duty

Structural Firefighting

Table 4 indicates whether structural firefighting is within the scope of the fire department. Roughly 1% of departments say no.

Table 5 asks how many of the personnel responsible for structural firefighting have received formal training. Answers were solicited in the form of: All, Most, Some, and None. For analysis purposes, "Most" was estimated as 2/3 and "Some" was estimated as 1/3. The estimated percentage for the entire state was based on the state's percentage for each community size and national figures of numbers of firefighters per department for each community size.

Based on these assumptions, 35% of Missouri's firefighters are estimated to need formal training because they work in departments with responsibility for structural firefighting and have not been so trained. In rural communities (less than 2,500 population), the percentage needing training was 54%.

The breakdown of need by community size, using this approach, is given in Figure 1 and Table A as percentage of firefighters.




Figure 1. Estimated Percent of Firefighters Involved in Structural Firefighting Who Lack Formal Training

Table A. Estimated Percent of Firefighters Involved in Structural Firefighting Who Lack Formal Training by Size of Community Protected (Q. 13b)

Population Protected	Estimated Percent of Firefighters Lacking Formal Training
250,000 to 499,999	0%
100,000 to 249,999	0%
50,000 to 99,999	10%
25,000 to 49,999	3%
10,000 to 24,999	15%
5,000 to 9,999	29%
2,500 to 4,999	39%
Under 2,500	54%
Total	35%
National total	21%
Lowest state total	1%
Highest state total	53%

The above projections are based on departments reporting yes on Question 13a and reporting on Question 13b and assume "Most" = 2/3 and "Some" = 1/3. See Tables 4 and 5.

Q. 13b: If [structural firefighting is a role your department performs] how many of your personnel who perform this duty have received formal training (not just on-the job)? All, Most, Some, None.

Emergency Medical Service

Table 6 asks whether emergency medical service (EMS) is within the scope of the fire department. One-third (33%) of departments say no.

Table 7 asks how many of the assigned personnel in departments responsible for EMS have received formal training. The breakdown by community size is given in Figure 2 and Table B, in terms of percent of personnel performing this duty who lack formal training. The estimated percentage for the entire state was based on the state's percentage for each community size and national figures of numbers of firefighters per department for each community size.

One-third (32%) of Missouri's personnel are estimated to need training.




Figure 2. Estimated Percent of Personnel Involved in EMS Who Lack Formal Training

Table B. Estimated Percentage of Personnel Involved in EMS Who Lack Formal Training, by Size of Community Protected (Q. 14b)

	Estimated % of
	Personnel Lacking
Population Protected	Formal Training
250,000 to 499,999	0%
100,000 to 249,999	0%
50,000 to 99,999	3%
25,000 to 49,999	6%
10,000 to 24,999	26%
5,000 to 9,999	35%
2,500 to 4,999	33%
Under 2,500	37%
Total	32%
National total	27%
Lowest state total	0%
Highest state total	45%

The above projections are based on departments reporting yes on Question 14a and reporting on Question 14b and assume "Most" = 2/3 and "Some" = 1/3. See Tables 6 and 7.

Q. 14b: If [emergency medical services (EMS) is a role your department performs], how many of your personnel who perform this duty have received formal training (not just on-the job)? All, Most, Some, None.

Hazardous Material Response

Table 8 asks whether hazardous material response is within the scope of the fire department. One-fourth (24%) of departments say no.

Technical Rescue

Table 9 asks whether technical rescue is within the scope of the fire department. Nearly one-half (45%) of departments say no. Even for rural fire departments, protecting fewer than 2,500 population, nearly one-third of fire departments now provide technical rescue.

Programs to Maintain and Protect Firefighter Health

Table 10 indicates whether departments have a program to maintain basic firefighter fitness and health, such as is required in NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program.* An estimated one-third (37%) of firefighters are in fire departments that indicate that they do not have such a program. Figure 3 estimates what percentage of firefighters, career or volunteer, are in departments without such programs.

Figure 3. Estimated Percent of Firefighters Whose Fire Departments Have No Programs to Maintain Basic Firefighter Fitness and Health




Table C estimates what percent of firefighters, career or volunteer, are in departments without such programs. The estimated percentage for the entire state was based on the state's percentage for each community size and national figures of numbers of firefighters per department for each community size.

Table C. Estimated Percent of Firefighters Whose Fire Departments Have No Program to Maintain Basic Firefighter Fitness and Health by Size of Community Protected (Q. 18)

	Estimated Percent of Firefighters Without Program to Maintain
Population Protected	Fitness
250,000 to 499,999	100%
100,000 to 249,999	0%
50,000 to 99,999	38%
25,000 to 49,999	50%
10,000 to 24,999	75%
5,000 to 9,999	89%
2,500 to 4,999	96%
Under 2,500	96%
Total	37%
National total	73%
Lowest state total	20%*
Highest state total	92%

The above projections are based on departments reporting on Question 18. See Table 10.

^{*} Excludes one state where the percent was 0%.

Q. 18: Does your department have a program to maintain basic firefighter fitness and health (e.g., as required in NFPA 1500)?

Table 2
For All- or Mostly-Volunteer Departments
Average Number of Volunteer Firefighters Who Respond to a Mid-Day House Fire
Percent of Departments by Community Size
(Q. 10)

Average Number of Volunteer Firefighters Responding

Population of Community	1-2	3-4	5-9	10-14	15-19	20 or More	Total
25,000 to 49,999	0.0%	0.0%	0.0%	66.7%	33.3%	0.0%	100.0%
10,000 to 24,999	3.0%	15.2%	39.4%	24.2%	9.1%	9.1%	100.0%
5,000 to 9,999	6.3%	10.4%	52.1%	22.9%	4.2%	4.2%	100.0%
2,500 to 4,999	1.5%	11.8%	60.3%	20.6%	1.5%	4.4%	100.0%
Under 2,500	0.8%	24.6%	57.4%	13.1%	2.5%	1.6%	100.0%

Source: FEMA/USFA and NFPA Survey of the Needs of the US Fire Service

A mostly-volunteer department might respond with some career firefighters as well, but this question asked only about volunteers responding.

Numbers may not add to totals due to rounding.

Q. 10: Average number of call/volunteer personnel who respond to a mid-day house fire (blank for actual number).

Table 3
For All- or Mostly-Career Departments
Number of Career Firefighters Assigned to an Engine/Pumper Apparatus
Percent of Departments by Community Size
(Q. 11)

Number of Career Firefighters Assigned to Engine/Pumper

Population of Community	1-2	3	4	5 or More	Total
250,000 to 499,999	0.0%	0.0%	100.0%	0.0%	100.0%
100,000 to 249,999	0.0%	33.3%	66.7%	0.0%	100.0%
50,000 to 99,999	0.0%	80.0%	20.0%	0.0%	100.0%
25,000 to 49,999	12.5%	62.5%	25.0%	0.0%	100.0%
10,000 to 24,999	13.8%	58.6%	27.6%	0.0%	100.0%

Source: FEMA/USFA and NFPA Survey of the Needs of the US Fire Service

Numbers may not add to totals due to rounding.

Q. 11: Number of on-duty career/paid personnel assigned to an engine/pumper (answers given as ranges shown).

Table 4
Does Department Provide Structural Firefighting?
by Community Size
(Q. 13a)

	Yes		No		Total	
Population of Community	Number <u>Depts</u>	Percent	Number Depts	Percent	Number Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	2	100.0%
100,000 to 249,999	3	100.0%	0	0.0%	3	100.0%
50,000 to 99,999	12	100.0%	0	0.0%	12	100.0%
25,000 to 49,999	25	100.0%	0	0.0%	25	100.0%
10,000 to 24,999	71	100.0%	0	0.0%	71	100.0%
5,000 to 9,999	100	98.4%	2	1.6%	102	100.0%
2,500 to 4,999	102	98.6%	1	1.4%	103	100.0%
Under 2,500	358	98.4%	6	1.6%	364	100.0%
Total	673	98.7%	9	1.3%	682	100.0%

Numbers may not add to totals due to rounding.

Q. 13a: Is [structural firefighting] a role your department performs?

Table 5
For Departments That Provide Structural Firefighting
How Many Personnel Who Perform This Duty Have Received Formal Training?
by Community Size
(Q. 13b)

	,	All	Mo	ost	S	ome	N	one	To	otal
Population of Community	Number <u>Depts</u>	Percent	Number Depts	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent	Number Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%
100,000 to 249,999	3	100.0%	0	0.0%	0	0.0%	0	0.0%	3	100.0%
50,000 to 99,999	10	80.0%	1	10.0%	1	10.0%	0	0.0%	12	100.0%
25,000 to 49,999	23	90.0%	3	10.0%	0	0.0%	0	0.0%	25	100.0%
10,000 to 24,999	41	58.1%	27	38.7%	2	3.2%	0	0.0%	71	100.0%
5,000 to 9,999	33	33.3%	45	45.0%	22	21.7%	0	0.0%	100	100.0%
2,500 to 4,999	23	22.5%	40	39.4%	36	35.2%	3	2.8%	102	100.0%
Under 2,500	38	10.6%	96	26.8%	186	52.0%	38	10.6%	358	100.0%
Total	173	25.6%	213	31.6%	247	36.8%	41	6.0%	673	100.0%

Numbers may not add to totals due to rounding.

Q. 13b: If [structural firefighting is a role your department performs], how many of your personnel who perform this duty have received formal training (not just on-the-job)?

Table 6
Does Department Provide Emergency Medical Service (EMS)?
by Community Size
(Q. 14a)

	Yes		N	0	Total	
Population of Community	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	2	2
100,000 to 249,999	3	100.0%	0	0.0%	3	3
50,000 to 99,999	12	100.0%	0	0.0%	12	12
25,000 to 49,999	22	89.5%	3	10.5%	25	22
10,000 to 24,999	57	81.0%	14	19.0%	71	57
5,000 to 9,999	74	72.1%	28	27.9%	102	74
2,500 to 4,999	79	76.4%	24	23.6%	103	79
Under 2,500	205	56.3%	159	43.7%	364	205
Total	454	66.6%	228	33.4%	682	454

Numbers may not add to totals due to rounding.

Q. 14a: Is [emergency medical service] a role your department performs?

Table 7
For Departments That Provide Emergency Medical Service
How Many Personnel Who Perform This Duty Have Received Formal Training?
by Community Size
(Q. 14b)

	A	AII	M	ost	So	me	No	ne	To	tal
Population of Community	Numbe Depts	r <u>Percent</u>	Number Depts	Percent	Number Depts	Percent	Numbe Depts	r <u>Percent</u>	Number Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%
100,000 to 249,999	3	100.0%	0	0.0%	0	0.0%	0	0.0%	3	100.0%
50,000 to 99,999	11	90.0%	1	10.0%	0	0.0%	0	0.0%	12	100.0%
25,000 to 49,999	18	81.3%	4	18.8%	0	0.0%	0	0.0%	22	100.0%
10,000 to 24,999	26	45.8%	18	31.3%	13	22.9%	0	0.0%	57	100.0%
5,000 to 9,999	22	29.3%	27	36.6%	25	34.1%	0	0.0%	74	100.0%
2,500 to 4,999	23	28.8%	35	44.2%	21	26.9%	0	0.0%	79	100.0%
Under 2,500	59	29.0%	62	30.4%	83	40.6%	0	0.0%	205	100.0%
Total	164	36.1%	147	32.5%	143	31.4%	0	0.0%	454	100.0%

Numbers may not add to totals due to rounding. No department in the 25,000 or more range responded to this question.

Q. 14b: If [emergency medical service is a role your department performs], how many of your personnel who perform this duty have received formal training (not just on-the-job)?

Table 8
Does Department Provide Hazardous Material Response?
by Community Size
(Q. 15a)

	Yes		No		Total	
Population of Community	Number <u>Depts</u>	Percent	Number Depts	Percent	Number Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	2	100.0%
100,000 to 249,999	3	100.0%	0	0.0%	3	100.0%
50,000 to 99,999	12	100.0%	0	0.0%	12	100.0%
25,000 to 49,999	23	90.0%	3	10.0%	25	100.0%
10,000 to 24,999	68	95.2%	3	4.8%	71	100.0%
5,000 to 9,999	94	91.8%	8	8.2%	102	100.0%
2,500 to 4,999	86	83.3%	17	16.7%	103	100.0%
Under 2,500	233	64.0%	131	36.0%	364	100.0%
Total	520	76.2%	162	23.8%	682	100.0%

Numbers may not add to totals due to rounding.

Q. 15a: Is [hazardous materials response] a role your department performs?

Table 9
Does Department Provide Technical Rescue Service?
by Community Size
(Q. 17a)

	Yes		No		Total	
Population of Community	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	2	100.0%
100,000 to 249,999	3	100.0%	0	0.0%	3	100.0%
50,000 to 99,999	12	100.0%	0	0.0%	12	100.0%
25,000 to 49,999	21	85.0%	4	15.0%	25	100.0%
10,000 to 24,999	54	76.2%	17	23.8%	71	100.0%
5,000 to 9,999	73	71.7%	29	28.3%	102	100.0%
2,500 to 4,999	68	65.7%	35	34.3%	103	100.0%
Under 2,500	141	38.7%	223	61.3%	364	100.0%
Total	374	54.8%	308	45.2%	682	100.0%

Numbers may not add to totals due to rounding.

Q. 17a: Is [technical rescue] a role your department performs?

Table 10
Does Department Have a Program
to Maintain Basic Firefighter Fitness and Health?
by Community Size
(Q. 18)

	Yes		N	lo	Total	
Population of Community	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent
250,000 to 499,999	0	0.0%	2	100.0%	2	100.0%
100,000 to 249,999	3	100.0%	0	0.0%	3	100.0%
50,000 to 99,999	8	62.5%	5	37.5%	12	100.0%
25,000 to 49,999	13	50.0%	13	50.0%	25	100.0%
10,000 to 24,999	17	24.6%	54	75.4%	71	100.0%
5,000 to 9,999	12	11.5%	90	88.5%	102	100.0%
2,500 to 4,999	4	4.1%	99	95.9%	103	100.0%
Under 2,500	14	4.0%	350	96.0%	364	100.0%
Total	71	10.4%	611	89.6%	682	100.0%

Numbers may not add to totals due to rounding.

Q. 18: Does your department have a program to maintain basic firefighter fitness and health (e.g., as required in NFPA 1500)?

FACILITIES, APPARATUS AND EQUIPMENT

Fire Stations

Table 11 describes the average number of fire stations per department by size of community. Note that a community may have two or more fire stations, and each fire station may have two or more firefighting companies, each attached to a particular apparatus, such as an engine/pumper. Table 11 also describes the fraction of stations with characteristics that indicate potential needs, specifically age of station over 40 years, a lack of backup power, or a lack of exhaust emission control equipment. Table D converts these figures to total numbers of fire stations with those needs, by size of community and overall.

Table D. Number of Fire Stations With Characteristics Indicating Potential Need, by Size of Community Protected (Q. 23)

	Total Number of Fire Stations With Indicated								
	Characteristics in Communities of This Population Siz								
			Not Equipped for						
	Over 40	No Backup	Exhaust Emission						
Population Protected	Years Old	Power	Control						
250,000 to 499,999	60	60	60						
100,000 to 249,999	3	0	17						
50,000 to 99,999	17	26	33						
25,000 to 49,999	17	39	44						
10,000 to 24,999	37	97	149						
5,000 to 9,999	56	140	164						
2,500 to 4,999	33	127	157						
Under 2,500	160	392	434						
Total	383	880	1,057						
Percent of state total	31%	72%	86%						
National percent	32%	57%	78%						
Lowest state percents	13%	0%	37%						
Highest state percents	65%	82%	100%						

The above projections are based on departments reporting on all four parts of Question 23. Numbers may not add to totals due to rounding. See Table 11.

Q. 23: Number of fire stations, number over 40 years old, number having backup power, number equipped for exhaust emission control (e.g., diesel exhaust extraction).

In addition to needs associated with the condition of fire stations, there are also questions about needs with respect to the number and coverage of fire stations. The number and coverage needed are those required to achieve response with sufficient fire suppression flow within a target period of time. The information contained in the Needs Assessment Survey is not sufficient to perform such a calculation, but a simplified version is possible. This calculation was considered too complex to repeat separately for each state, but because it is an important issue, the logic used and the primary overall conclusions are repeated here.

The *Fire Suppression Rating Schedule* of the Insurance Services Office includes a number of guidelines and formulas to use in performing a complete assessment of the adequacy of fire department resources, but for this simplified calculation on adequacy of number of fire stations, Item 560 has a basis: "The built-upon area of the city should have a first-due engine company within 1-½ miles and a ladder-service company within 2-½ miles." For this simplified calculation, we can use these two numbers as a range for the maximum distance from any point in the community to the nearest fire station.

NFPA 1710 states its requirements in terms of time, specifically, a requirement that 90% of responses by the initial arriving company shall be within 4 minutes. If the first-response area is considered as a circle with the fire station in the middle, and if emergency calls are evenly distributed throughout the response area, then 90% of responses will be within 95% of the distance from the fire station to the boundary of the response area.** If the average speed of fire apparatus is 21 mph, as it might be in the downtown area of a city, then the 4-minute requirement corresponds to a 1.5-mile requirement. If the average speed of fire apparatus is 36 mph, as it might be in a suburban or rural area, then the 4-minute requirement corresponds to a 2.5-mile requirement. In a very rural community, the average speed could be even higher, and the allowable distance would be even greater.

Note the limitations in this assumption: Item 560 implies that a larger maximum distance is acceptable for parts of the community that are not "built-upon"; this will be especially relevant for smaller communities. This larger maximum distance may or may not be on the order of the 2½ miles cited for ladder-service companies responding in the built-upon area, so the use of 2½ miles as an upper bound for calculation is done for convenience rather than through any compelling logic. Item 560 does not reflect variations in local travel speeds or the need for adequate fire flow by the responding apparatus; those issues are addressed elsewhere in the *Fire Suppression Rating Schedule*. This guideline is not a mandatory government requirement or a consensus voluntary standard.

^{*} Fire Suppression Rating Schedule, New York: Insurance Services Office, Inc., August 1998, p. 28.

^{**} If r is the distance from station to boundary, then the size of the response area is πr^2 , and the radius of a circle with area equal to $0.9\pi r^2$ will be $r\sqrt{0.9}$ or approximately 0.95r.

To use this guideline with the data available from the Needs Assessment Survey, it is necessary to have a formula giving the maximum distance from fire station to any point in the community as a function of data collected in the survey. The Rand Institute developed such a formula for expected (i.e., average) distance as part of its extensive research on fire deployment issues in the 1960s and 1970s.

The formula has been developed and tested against actual travel-distance data from selected fire departments for both straight-line travel and the more relevant right-angle travel that characterizes the grid layout of many communities. It has been developed assuming either a random distribution of fire stations throughout the community or an optimal placement of stations to minimize travel distances and times.

The formula is called the square root law: Expected distance = $k \sqrt{(A/n)}$ where k is a proportionality constant

A is the community's area in square miles

n is the number of fire stations

Note the limitations of this approach, cited by the Rand authors: Most importantly, it ignores the effect of natural barriers, such as rivers or rail lines. It assumes an alarm is equally likely from any point in the community. It assumes a unit is always ready to respond from the nearest fire station.

If one further assumes that response areas can be approximated by circles with fire stations at the center, then expected distance equals one-half of maximum distance. If response areas are more irregularly shaped, expected distance will be a smaller fraction of maximum distance.

With these assumptions, the number of fire stations will be sufficient to provide acceptable coverage, defined as a maximum travel distance that is less than the ISO-based value, if the following is true:

A -
$$\frac{1}{2}$$
 (n)(D_{max})²/(k²) < 0 where

A is the community's area in square miles n is the number of fire stations

D_{max} is the maximum acceptable travel distance (1-½ miles or 2-½ miles) k is the Rand proportionality constant, which is assumed to be for right-angle travel and is 0.6267 for random station location and 0.4714 for optimal station location

*** Warren E. Walker, Jan M. Chaiken, and Edward J. Ignall, eds., *Fire Department Deployment Analysis*, Publications in Operations Research series of the Operations Research Society of America, New York: Elsevier North Holland, 1979, pp. 180-184.

It may be appropriate to use the shorter maximum distance for larger communities and the larger maximum distance for smaller communities. In fact, as noted, if the average speed achievable by fire apparatus is well above 36 mph, an even larger maximum distance is justified under NFPA 1710. Note also that NFPA 1720, the standard for volunteer fire departments, has no speed of response or distance requirement, reflecting the fact that very low population densities in the smallest communities mean the number of people exposed to long response times may be very small.

Also, while few if any communities will have optimal station locations, it is likely that most will have placements that are considerably better than random. Based on these observations and calculations, the national report concluded that, in <u>every</u> population interval, roughly two-thirds to three-fourths of fire departments have too few stations to provide the indicated coverage. Specifically, if 1.5 miles is used for communities of 10,000 or more and 2.5 miles is used for smaller communities, with optimal location used for both, then the national study found that 65-76% of departments have too few stations, except for communities of 500,000 to 999,999 population, where the percentage was 82%.

Apparatus

Table 12 characterizes the size of the engine/pumper fleet inventory, overall and by age of vehicle. Using the statistics from Table 1 on departments by population interval, one can identify the number of engines whose ages raise questions about the need for replacement. The breakdown by community size is shown in Figure 4 in terms of percent of apparatus and in Table E in terms of number of apparatus. The estimated percentage for the entire state was based on the state's percentage for each community size and national figures of numbers of firefighters per department for each community size.

Table E and Figure 4 indicate that overall 66% of engines – an estimated 1,288 engines in use – are at least 15 years old, including an estimated 508 that are at least 30 years old.

Vehicle age alone is not sufficient to confirm a need for replacement, but it is indicative of a potential need, which should be examined.




Figure 4. Percent of Engines and Pumpers That Are At Least 15 Years Old

Table E. Number of Engines in Service, Limited to
Engines At Least 15 Years Old
by Age of Equipment and Size of Community Protected (Q. 24)

	Total Number of Engines in Service of This Age in Fire Departments Protecting Communities of This Population Size								
Deputation Protected									
Population Protected	15 to 19 fears Old	20 to 29 feats Old	30+ Years Old						
250,000 to 499,999	30	0	0						
100,000 to 249,999	0	1	0						
50,000 to 99,999	7	0	0						
25,000 to 49,999	12	17	4						
10,000 to 24,999	36	54	16						
5,000 to 9,999	64	63	69						
2,500 to 4,999	33	76	85						
Under 2,500	99	288	332						
Total	281	499	508						
Percent of state total	14%	26%	26%						
National percent	16%	21%	13%						
Lowest state percents	11%	2%	0%						
Highest state percents	31%	33%	29%						

The above projections are based on departments reporting on all parts of Question 24. Numbers may not add to totals due to rounding. See Table 12.

Q. 24: Number of engines/pumpers in service. Total, 0-14 years old, 15-19 years old, 20-29 years old, 30 or more years old, unknown age

Personal Protective Equipment and Clothing

Table 13 indicates what percentage of emergency responders on a single shift are equipped with portable radios. Figure 5 and Table F translate the results of Table 13 into estimated percentages of emergency responders on a shift who lack radios. The estimated percentage for the entire state was based on the state's percentage for each community size and national figures of numbers of firefighters per department for each community size.

In Missouri, one-third (35%) of emergency responders are estimated to lack radios.




Figure 5. Percent of Emergency Responders on a Shift Who Lack Radios

Table F. Emergency Responders on a Shift Who Lack Radios by Size of Community Protected (Q. 27a)

	Percent of
	Emergency
	Responders on
	Shift
Population Protected	Lacking Radios
250,000 to 499,999	0%
100,000 to 249,999	33%
50,000 to 99,999	13%
25,000 to 49,999	13%
10,000 to 24,999	19%
5,000 to 9,999	33%
2,500 to 4,999	42%
Under 2,500	47%
Total	35%
National total	45%
Lowest state total	19%
Highest state total	65%

The above projections are based on departments reporting on Question 27a. "Most" and "Some" are converted to 2/3 and 1/3. See Table 13.

Q. 27a: How many of your emergency responders on-duty on a single shift can be equipped with portable radios? All, Most, Some, None

Table 14 estimates how many emergency responders on a shift or otherwise on-duty are equipped with self-contained breathing apparatus (SCBA).

The breakdown of need by community size is given in Figure 6 and Table G, in terms of percent of personnel on a shift who lack SCBA. The estimated percentage for the entire state was based on the state's percentage for each community size and national figures of numbers of firefighters per department for each community size.

One-third (34%) of firefighters are estimated to need SCBA units in Missouri.




Figure 6. Percent of Firefighters per Shift Lacking Self-Contained Breathing Apparatus (SCBA)

Table G. Firefighters per Shift Lacking SCBA by Size of Community (Q. 28a)

	Estimated Percent of Firefighters
	per Shift
	Not Equipped With
Population Protected	SCBA
250,000 to 499,999	0%
100,000 to 249,999	0%
50,000 to 99,999	0%
25,000 to 49,999	8%
10,000 to 24,999	10%
5,000 to 9,999	27%
2,500 to 4,999	46%
Under 2,500	52%
Total	34%
National total	36%
Lowest state total	0%
Highest state total	56%

The above projections are based on departments reporting on Question 28a. "Most" and "Some" are converted to 2/3 and 1/3. See Table 14.

Q. 28a: How many emergency responders on-duty on a single shift can be equipped with self-contained breathing apparatus (SCBA)? All, Most, Some, None

Table 15 indicates what fraction of emergency responders on a single shift are equipped with Personal Alert Safety System (PASS) devices.

The breakdown of need is given in Figure 7 and Table H, in terms of percent of personnel on a shift who lack PASS devices, by size of community protected. The estimated percentage for the entire state was based on the state's percentage for each community size and national figures of numbers of firefighters per department for each community size.

One-half (49%) of firefighters are estimated to need PASS devices in Missouri.




Figure 7. Percent of Emergency Responders per Shift Lacking Personal Alert Safety System (PASS) Devices

Table H. Estimated Average Percent of Emergency Responders per Shift Not Provided With PASS Devices, by Size of Community (Q. 29)

	Emergency
	Responders per Shift
Population Protected	Not Provided with
	PASS Devices
250,000 to 499,999	0%
100,000 to 249,999	0%
50,000 to 99,999	0%
25,000 to 49,999	10%
10,000 to 24,999	18%
5,000 to 9,999	38%
2,500 to 4,999	55%
Under 2,500	78%
Total	49%
National total	42%
Lowest state total	0%
Highest state total	85%

The above projections are based on departments reporting on Question 29. "Most" and "Some" are converted to 2/3 and 1/3. See Table 15.

Q. 29: How many of your emergency responders on-duty on a single shift are equipped with Personal Alert Safety System (PASS) devices? All, Most, Some, None Table 16 indicates how many emergency responders are equipped with their own personal protective clothing.

The breakdown by community size is shown in Figure 8 and Table I. The estimated percentage for the entire state was based on the state's percentage for each community size and national figures of numbers of firefighters per department for each community size.

Roughly one in eight (13%) firefighters are estimated to need personal protective clothing in Missouri.




Figure 8. Estimated Percent of Firefighters Lacking Personal Protective Clothing

Table I. Firefighters in Departments Where Not All Firefighters
Are Equipped With Personal Protective Clothing
by Size of Community (Q. 30a)

	Estimated Firefighters Lacking Personal
Population Protected	Protective Clothing
250,000 to 499,999	33%
100,000 to 249,999	0%
50,000 to 99,999	0%
25,000 to 49,999	0%
10,000 to 24,999	2%
5,000 to 9,999	7%
2,500 to 4,999	10%
Under 2,500	20%
Total	13%
National total	5%
Lowest state total	0%
Highest state total	23%

The above projections are based on departments reporting on Question 30a. "Most" and "Some" are converted to 2/3 and 1/3. See Table 16.

Q. 30a: How many of your emergency responders are equipped with personal protective clothing? All, Most, Some, None

Table 11

Number of Fire Stations and Selected Characteristics
by Community Size
(Q. 23)

Population of Community	Average Number of Stations	Percent Stations Over 40 Years Old	Percent Stations Having Backup Power	Percent Stations Equipped for Exhaust Control
250,000 to 499,999	30.0	100.0%	0.0%	0.0%
100,000 to 249,999	8.0	12.5%	100.0%	31.3%
50,000 to 99,999	4.8	29.1%	55.3%	42.1%
25,000 to 49,999	3.3	21.2%	51.9%	46.2%
10,000 to 24,999	2.4	21.5%	43.7%	13.6%
5,000 to 9,999	2.1	26.4%	34.3%	22.6%
2,500 to 4,999	1.6	19.7%	24.0%	6.1%
Under 2,500	1.2	35.7%	12.5%	3.2%
Total	1.8	31.3%	28.0%	13.5%

Total row is for all communities and is not the sum of the other rows.

Q. 23: Number of fire stations, number over 40 years old, number having backup power, number equipped for exhaust emission control (e.g., diesel exhaust extraction).

Table 12
Average Number of Engines/Pumpers in Service and Age of Engine/Pumper Apparatus by Community Size (Q. 24)

Population of Community	Average Number of Engines	Engines 0-14 Years Old	Engines 15-19 Years Old	Engines 20-29 Years Old	Engines 30 or More Years Old
250,000 to 499,999	45.00	30.00	15.00	0.00	0.00
100,000 to 249,999	8.33	8.00	0.00	0.33	0.00
50,000 to 99,999	5.70	5.10	0.60	0.00	0.00
25,000 to 49,999	4.06	2.72	0.50	0.67	0.17
10,000 to 24,999	3.45	1.96	0.50	0.75	0.23
5,000 to 9,999	3.33	1.40	0.63	0.62	0.68
2,500 to 4,999	2.63	0.74	0.32	0.74	0.83
Under 2,500	2.23	0.26	0.27	0.79	0.91
Total	2.86	0.97	0.41	0.73	0.74

Total row is for all communities and is not the sum of the other rows.

Q. 24: Number of engines/pumpers in service, number 0-14 years old, number 15-19 years old, number 20-29 years old, number 30 or more years old, number unknown age.

Table 13
How Many of Department's Emergency Responders on a Single Shift Are Equipped With Portable Radios? by Community Size (Q. 27a)

	A	AII	Mo	st	S	ome	N	one	То	tal
Population of Community	Number <u>Depts</u>	<u>Percent</u>	Number <u>Depts</u>	Percent	Number Depts	Percent	Numbe <u>Depts</u>	er <u>S Percent</u>	Number <u>Depts</u>	Percent
250,000 to 499,999	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%
100,000 to 249,999	1	33.3%	1	33.3%	1	33.3%	0	0.0%	3	100.0%
50,000 to 99,999	8	70.0%	2	20.0%	1	10.0%	0	0.0%	12	100.0%
25,000 to 49,999	18	70.0%	5	20.0%	3	10.0%	0	0.0%	25	100.0%
10,000 to 24,999	42	59.4%	17	23.4%	12	17.2%	0	0.0%	71	100.0%
5,000 to 9,999	38	37.7%	25	24.6%	38	37.7%	0	0.0%	102	100.0%
2,500 to 4,999	24	23.3%	30	28.8%	48	46.6%	1	1.4%	103	100.0%
Under 2,500	70	19.2%	99	27.2%	175	48.0%	20	5.6%	364	100.0%
Total	203	35.0%	179	25.8%	278	37.0%	22	2.2%	682	100.0%

Numbers may not add to totals due to rounding.

Q. 27a: How many of your emergency responders on-duty on a single shift can be equipped with portable radios?

Table 14
How Many Emergency Responders
on a Single Shift Are Equipped With
Self-Contained Breathing Apparatus (SCBA)?
by Community Size
(Q. 28a)

	All		Most		Some		None		Total	
Population of Community	Number Depts	Percent	Number Depts	Percent	Number Depts	Percent	Numbe Depts	Percent	Number Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%
100,000 to 249,999	3	100.0%	0	0.0%	0	0.0%	0	0.0%	3	100.0%
50,000 to 99,999	12	100.0%	0	0.0%	0	0.0%	0	0.0%	12	100.0%
25,000 to 49,999	21	85.0%	1	5.0%	3	10.0%	0	0.0%	25	100.0%
10,000 to 24,999	52	73.4%	16	21.9%	3	4.7%	0	0.0%	71	100.0%
5,000 to 9,999	43	41.7%	36	35.0%	24	23.3%	0	0.0%	102	100.0%
2,500 to 4,999	11	11.0%	42	41.1%	49	47.9%	0	0.0%	103	100.0%
Under 2,500	32	8.7%	104	28.6%	222	61.1%	6	1.6%	364	100.0%
Total	176	34.2%	199	28.6%	301	36.7%	6	0.6%	682	100.0%

Numbers may not add to totals due to rounding.

Q. 28a: How many emergency responders on-duty on a single shift can be equipped with self-contained breathing apparatus (SCBA)?

Table 15
What Fraction of Emergency Responders on a Single Shift
Are Equipped With Personal Alert Safety System (PASS) Devices?
by Community Size
(Q. 29)

	All		Most		Some		None		Total	
Population of Community	Number of Depts	Percent	Number of Depts	Percent	Number of Depts	Percent	Number of Depts	Percent	Number of Depts	
250,000 to 499,999	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%
100,000 to 249,999	3	100.0%	0	0.0%	0	0.0%	0	0.0%	3	100.0%
50,000 to 99,999	12	100.0%	0	0.0%	0	0.0%	0	0.0%	12	100.0%
25,000 to 49,999	21	85.0%	1	5.0%	1	5.0%	1	5.0%	25	100.0%
10,000 to 24,999	45	64.1%	16	21.9%	7	9.4%	3	4.7%	71	100.0%
5,000 to 9,999	43	41.7%	19	18.3%	26	25.0%	15	15.0%	102	100.0%
2,500 to 4,999	20	19.2%	18	17.8%	42	41.1%	23	21.9%	103	100.0%
Under 2,500	26	7.2%	41	11.2%	84	23.2%	213	58.4%	364	100.0%
Total	172	33.7%	95	14.9%	160	22.8%	255	28.7%	682	100.0%

Numbers may not add to totals due to rounding.

Q. 29: How many of your emergency responders on-duty on a single shift are equipped with Personal Alert Safety System (PASS) devices?

Table 16
What Fraction of Emergency Responders
Are Equipped With Personal Protective Clothing?
by Community Size
(Q. 30a)

	All		N	Most		Some		None		Total	
Population of Community	Number Depts	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Numbe Depts	r <u>Percent</u>	
250,000 to 499,999	0	0.0%	2	100.0%	0	0.0%	0	0.0%	2	100.0%	
100,000 to 249,999	3	100.0%	0	0.0%	0	0.0%	0	0.0%	3	100.0%	
50,000 to 99,999	12	100.0%	0	0.0%	0	0.0%	0	0.0%	12	100.0%	
25,000 to 49,999	25	100.0%	0	0.0%	0	0.0%	0	0.0%	25	100.0%	
10,000 to 24,999	68	95.3%	2	3.1%	1	1.6%	0	0.0%	71	100.0%	
5,000 to 9,999	83	81.7%	15	15.0%	3	3.3%	0	0.0%	102	100.0%	
2,500 to 4,999	76	74.0%	23	21.9%	4	4.1%	0	0.0%	103	100.0%	
Under 2,500	196	54.0%	113	31.0%	55	15.1%	0	0.0%	364	100.0%	
Total	464	74.2%	155	18.8%	64	7.0%	0	0.0%	682	100.0%	

Numbers may not add to totals due to rounding.

Q. 30a: How many of your emergency responders are equipped with personal protective clothing?

ABILITY TO HANDLE UNUSUALLY CHALLENGING INCIDENTS

Questions 36-39 were designed to check the capabilities of fire departments, in communities of various sizes, to handle unusually severe and challenging incidents, only one of which involved a fire. These have to do with the increasingly important first responder role of fire departments.

In addition to asking whether such incidents were within the department's scope, the survey asked whether fire departments could handle such incidents with local personnel and equipment and whether a plan existed to support effective coordination with non-local resources and partners.

Technical Rescue and EMS at Structural Collapse With 50 Occupants

Table 17 indicates whether a technical rescue with EMS at a structural collapse of a building with 50 occupants is within the scope of the department.

Tables 18-20 address, for the departments that consider such a rescue within their scope, how far they have to go for people and equipment and whether they have a plan, respectively.

By combining Table 17 with Tables 18-20, one can obtain an even better indication of different types of department needs to address such incidents, as seen in Tables J to L. In Tables J to L, the rightmost column reproduces the "No, not within scope" statistics from Table 17. The other columns are produced by multiplying the columns from Tables 18-20, respectively, by the "Yes, within scope" statistics from Table 17.

Only 13% of Missouri's departments say they can handle such an incident with local personnel.

Only 12% say they can handle such an incident with local equipment.

Only 21% say they have a written plan on how to handle such incidents.

Table J. Departments by Whether They Can Handle This Type of Incident, Where They Obtain Necessary Personnel With Specialized Training, and Size of Community (Q. 36b)

	Can Department Handle Technical Rescue with EMS at			
	Structural Collapse of a Building with 50 Occupants?			
	Yes and With	Yes But Need Non-		
	Local Trained	Local Trained	No, Not	
Population Protected	People	People	Within Scope	
250,000 to 499,999	0%	100%	0%	
100,000 to 249,999	33%	67%	0%	
50,000 to 99,999	44%	44%	11%	
25,000 to 49,999	10%	60%	30%	
10,000 to 24,999	16%	58%	27%	
5,000 to 9,999	17%	54%	29%	
2,500 to 4,999	9%	56%	35%	
Under 2,500	11%	34%	55%	
Total	13%	48%	38%	
National totals	11%	45%	44%	
Lowest state totals	0%		0%	
Highest state totals	20%		58%	

The above projections are based on departments reporting on Questions 36a and 36b. See Tables 17 and 18.

Q. 36b: If [technical rescue and EMS for a building with 50 occupants after structural collapse is within your department's scope], how far would you have to go to obtain enough people with specialized training for this incident?

Table K. Departments by Whether They Can Handle This Type of Incident, Where They Obtain the Necessary Specialized Equipment, and Size of Community (Q. 36c)

	Can Department Handle Technical Rescue with EMS at Structural Collapse of a Building with 50 Occupants?			
	Yes and With	Yes But Need Non-	No, Not	
Population Protected	Local Equipment	Local Equipment	Within Scope	
250,000 to 499,999	0%	0%	0%	
100,000 to 249,999	11%	22%	0%	
50,000 to 99,999	11%	33%	11%	
25,000 to 49,999	1%	9%	30%	
10,000 to 24,999	3%	13%	27%	
5,000 to 9,999	4%	13%	29%	
2,500 to 4,999	2%	7%	35%	
Under 2,500	2%	9%	55%	
Total	12%	50%	38%	
National totals	11%	46%	44%	
Lowest state totals	0%		0%	
Highest state totals	18%		58%	

The above table breakdown and projections are based on departments reporting on Questions 36a and 36c. See Tables 17and 19.

Q. 36c: If [technical rescue and EMS for a building with 50 occupants after structural collapse is within your department's scope], how far would you have to go to obtain enough specialized equipment to handle this incident?

Table L. Departments by Whether They Can Handle This Type of Incident,
Type of Plan for Using Non-Local Resources,
and Size of Community (Q. 36d)

	Can Departm	Can Department Handle Technical Rescue with EMS			
	at Structural C	at Structural Collapse of a Building with 50 Occupants?			
	Yes –			No, Not	
	Written	Yes – But	Yes – But	Within	
Population Protected	Agreement	Not Written	No Plan	Scope	
250,000 to 499,999	100%	0%	0%	0%	
100,000 to 249,999	100%	0%	0%	0%	
50,000 to 99,999	56%	33%	0%	11%	
25,000 to 49,999	45%	20%	5%	30%	
10,000 to 24,999	33%	34%	6%	27%	
5,000 to 9,999	21%	32%	18%	29%	
2,500 to 4,999	20%	32%	13%	35%	
Under 2,500	12%	24%	9%	55%	
Total	21%	29%	11%	38%	
National totals	19%	26%	11%	44%	
Lowest state totals	9%			0%	
Highest state totals	37%			58%	

The above table breakdown and projections are based on departments reporting on Questions 36a and 36d. See Tables 17 and 20.

Q. 36d: If [technical rescue and EMS for a building with 50 occupants after structural collapse is within your department's scope], do you have a plan for working with others on this type of incident?

Hazmat and EMS for Incident Involving Chemical/Biological Agents and 10 Injuries

Table 21 indicates whether hazmat and EMS for an incident involving chemical/biological agents and 10 injuries is within the scope of the department. (Note that casualty counts of 100 to 1,000 are not unusual in chemical/biological agent weapons of mass destruction.)

Tables 22-24 address, for the departments that consider such an incident within their scope, how far they have to go for people and equipment and whether they have a plan, respectively.

By combining Table 21 with Tables 22-24, one can obtain an even better indication of different types of department needs to address such incidents, as seen in Tables M to O.

In Tables M to O, the rightmost column reproduces the "No, not within scope" statistics from Table 21. The other columns are produced by multiplying the columns from Tables 22-24, respectively, by the "Yes, within scope" statistics from Table 21.

Only 13% of Missouri's departments say they can handle such an incident with local personnel.

Only 10% say they can handle such an incident with local equipment.

Only 21% say they have a written plan on how to handle such incidents.

Table M. Departments by Whether They Can Handle This Type of Incident, Where They Obtain Necessary Personnel With Specialized Training, and Size of Community (Q. 37b)

	Can Department Handle a Hazmat and EMS Incident Involving Chemical/Biological Agents and 10 Injuries?					
	Yes and With	Yes and With Yes But Need				
	Local Trained	Non-Local	No, Not			
Population Protected	People	Trained People	Within Scope			
250,000 to 499,999	100%	0%	0%			
100,000 to 249,999	33%	67%	0%			
50,000 to 99,999	44%	44%	11%			
25,000 to 49,999	15%	55%	30%			
10,000 to 24,999	22%	56%	22%			
5,000 to 9,999	20%	52%	28%			
2,500 to 4,999	7%	51%	42%			
Under 2,500	7%	35%	59%			
Total	13%	47%	40%			
National totals	13%	45%	42%			
Lowest state totals	5%		10%			
Highest state totals	67%		54%			

The above table breakdown and projections are based on departments reporting on Questions 37a and 37b. See Tables 21 and 22.

Q. 37b: If [hazmat and EMS for an incident involving chemical/biological agents and 10 injuries is within your department's scope], how far would you have to go to obtain enough people with specialized training for this incident?

Table N. Departments by Whether They Can Handle This Type of Incident, Where They Obtain the Necessary Specialized Equipment, and Size of Community (Q. 37c)

	Can Department Handle a Hazmat and EMS Incident Involving Chemical/Biological Agents and 10 Injuries?			
	Yes and With	Yes But Need Non-	No, Not	
Population Protected	Local Equipment	Local Equipment	Within Scope	
250,000 to 499,999	100%	0%	0%	
100,000 to 249,999	11%	22%	0%	
50,000 to 99,999	11%	33%	11%	
25,000 to 49,999	3%	3% 12%		
10,000 to 24,999	6%	16%	22%	
5,000 to 9,999	5%	15%	28%	
2,500 to 4,999	1%	6%	42%	
Under 2,500	1%	6%	59%	
Total	10%	50%	40%	
National totals	11%	47%	42%	
Lowest state totals	1%		10%	
Highest state totals	67%		54%	

The above projections are based on departments reporting on Questions 37a and 37c. See Tables 21 and 23.

Q. 37c: If [hazmat and EMS for an incident involving chemical/biological agents and 10 injuries is within your department's scope], how far would you have to go to obtain enough specialized equipment to handle this incident?

Table O. Departments by Whether They Can Handle This Type of Incident,
Type of Plan for Using Non-Local Resources,
and Size of Community (Q. 37d)

	Can Department Handle a Hazmat and EMS Incident Involving Chemical/Biological Agents and 10 Injuries?			
	Yes –	-mca/biologic	zai Agerits ari	No, Not
	Written	Yes – But	Yes – But	Within
Population Protected	Agreement	Not Written	No Plan	Scope
250,000 to 499,999	100%	0%	0%	0%
100,000 to 249,999	100%	0%	0%	0%
50,000 to 99,999	56%	33%	0%	11%
25,000 to 49,999	50%	20%	0%	30%
10,000 to 24,999	44%	29%	5%	22%
5,000 to 9,999	18%	42%	12%	28%
2,500 to 4,999	20%	20%	19%	42%
Under 2,500	9%	25%	8%	59%
Total	21%	30%	10%	40%
National totals	21%	28%	9%	42%
Lowest state totals	6%			10%
Highest state totals	38%			54%

The above projections are based on departments reporting on Questions 37a and 37d. See Tables 21 and 24.

Q. 37d: If [hazmat and EMS for an incident involving chemical/biological agents and 10 injuries is within your department's scope], do you have a plan for working with others on this type of incident?

Wildland/Urban Interface Fire Affecting 500 Acres

Table 25 indicates whether a wildland/urban interface fire affecting 500 acres is within the scope of the department.

Tables 26-28 address, for the departments that consider such an incident within their scope, how far they have to go for people and equipment and whether they have a plan, respectively.

By combining Table 25 with Tables 26-28, one can obtain an even better indication of different types of department needs to address such incidents, as seen in Tables P to R.

In Tables P to R, the rightmost column reproduces the "No, not within scope" statistics from Table 25. The other columns are produced by multiplying the columns from Tables 26-28, respectively, by the "Yes, within scope" statistics from Table 25.

Only 26% of Missouri's departments say they can handle such an incident with local personnel.

Only 25% say they can handle such an incident with local equipment.

Only 34% say they have a written plan on how to handle such incidents.

Table P. Departments by Whether They Can Handle This Type of Incident, Where They Obtain Necessary Personnel With Specialized Training, and Size of Community (Q. 38b)

	Can the Department Handle a Wildland/Urban Interface Fire Affecting 500 Acres?				
	Yes and With Yes But Need				
	Local Trained	Non-Local	No, Not		
Population Protected	People	Trained People	Within Scope		
250,000 to 499,999	0%	0%	100%		
100,000 to 249,999	0%	33%	67%		
50,000 to 99,999	13%	38%	50%		
25,000 to 49,999	15%	40%	45%		
10,000 to 24,999	26%	39%	36%		
5,000 to 9,999	29%	41%	31%		
2,500 to 4,999	30%	47%	23%		
Under 2,500	27%	45%	28%		
Total	26%	43%	31%		
National totals	26%	44%	31%		
Lowest state totals	0%	_	0%		
Highest state totals	52%		53%		

The above projections are based on departments reporting on Questions 38a and 38b. See Tables 25 and 26.

Q. 38b: If [wildland/urban interface fire affecting 500 acres is within your department's scope], how far would you have to go to obtain enough people with specialized training for this incident?

Table Q. Departments by Whether They Can Handle This Type of Incident, Where They Obtain the Necessary Specialized Equipment, and Size of Community (Q. 38c)

	Can the Department Handle a Wildland/Urban Interface Fire Affecting 500 Acres?					
	Yes and With	Yes and With Yes But Need Non- No.				
Population Protected	Local Equipment	Local Equipment	Within Scope			
250,000 to 499,999	0%	0%	100%			
100,000 to 249,999	0%	0%	67%			
50,000 to 99,999	3%	9%	50%			
25,000 to 49,999	4%	11%	45%			
10,000 to 24,999	11%	15%	36%			
5,000 to 9,999	12%	17%	31%			
2,500 to 4,999	10%	21%	23%			
Under 2,500	9%	9% 18%				
Total	25%	45%	31%			
National totals	22%	47%	31%			
Lowest state totals	2%		0%			
Highest state totals	75%		53%			

The above projections are based on departments reporting on Questions 38a and 38c. See Tables 25 and 27.

Q. 38c: If [wildland/urban interface fire affecting 500 acres is within your department's scope], how far would you have to go to obtain enough specialized equipment to handle this incident?

Table R. Departments by Whether They Can Handle This Type of Incident,
Type of Plan for Using Non-Local Resources,
and Size of Community (Q. 38d)

	Can the Department Handle a Wildland/Urban Interface Fire Affecting 500 Acres?			
	Yes –		9	No, Not
	Written	Yes – But	Yes – But	Within
Population Protected	Agreement	Not Written	No Plan	Scope
250,000 to 499,999	0%	0%	0%	100%
100,000 to 249,999	33%	0%	0%	67%
50,000 to 99,999	38%	13%	0%	50%
25,000 to 49,999	50%	5%	0%	45%
10,000 to 24,999	42%	23%	0%	36%
5,000 to 9,999	40%	26%	4%	31%
2,500 to 4,999	31%	40%	6%	23%
Under 2,500	32%	39%	2%	28%
Total	34%	33%	2%	31%
National totals	33%	31%	5%	31%
Lowest state totals	7%			0%
Highest state totals	66%			53%

The above projections are based on departments reporting on Questions 38a and 38d. See Tables 25 and 28.

Q. 38d: If [wildland/urban interface fire affecting 500 acres is within your department's scope], do you have a plan for working with others on this type of incident?

Mitigation of a Developing Major Flood

Table 29 indicates whether mitigation of a developing major flood is within the scope of the department.

Tables 30-32 address, for the departments that consider such an incident within their scope, how far they have to go for people and equipment and whether they have a plan, respectively.

By combining Table 29 with Tables 30-32, one can obtain an even better indication of different types of department needs to address such incidents, as seen in Tables S to U.

In Tables S to U, the rightmost column reproduces the "No, not within scope" statistics from Table 29. The other columns are produced by multiplying the columns from Tables 30-32, respectively, by the "Yes, within scope" statistics from Table 29.

Only 10% of Missouri's departments say they can handle such an incident with local personnel.

Only 9% say they can handle such an incident with local equipment.

Only 13% say they have a written plan on how to handle such incidents.

Table S. Departments by Whether They Can Handle This Type of Incident, Where They Obtain Necessary Personnel With Specialized Training, and Size of Community (Q. 39b)

	Can the Department Handle					
	Mitigation of a Developing Major Flood?					
	Yes and With	Yes and With Yes But Need				
	Local Trained	Non-Local	No, Not			
Population Protected	People	Trained People	Within Scope			
250,000 to 499,999	0%	100%	0%			
100,000 to 249,999	0%	67%	33%			
50,000 to 99,999	22%	33%	44%			
25,000 to 49,999	5%	50%	45%			
10,000 to 24,999	11%	41%	48%			
5,000 to 9,999	17%	38%	45%			
2,500 to 4,999	10%	32%	59%			
Under 2,500	7%	20%	74%			
Total	10%	32%	58%			
National totals	12%	33%	54%			
Lowest state totals	0%		15%			
Highest state totals	37%		68%			

The above projections are based on departments reporting on Questions 39a and 39b. See Tables 29 and 30.

Q. 39b: If [mitigation (confining, slowing, etc.) of a developing major flood is within your department's scope], how far would you have to go to obtain enough people with specialized training for this incident?

Table T. Departments by Whether They Can Handle This Type of Incident, Where They Obtain the Necessary Specialized Equipment, and Size of Community (Q. 39c)

	Can the Department Handle					
	Yes and With	Mitigation of a Developing Major Flood?				
Demulation Droto stock		Yes But Need Non-	No, Not			
Population Protected	Local Equipment	Local Equipment	Within Scope			
250,000 to 499,999	0%	0%	0%			
100,000 to 249,999	0%	0%	33%			
50,000 to 99,999	4%	18%	44%			
25,000 to 49,999	1%	5%	45%			
10,000 to 24,999	3%	8%	48%			
5,000 to 9,999	4%	13%	45%			
2,500 to 4,999	2%	8%	59%			
Under 2,500	2%	5%	74%			
Total	9%	33%	58%			
National totals	11%	35%	54%			
Lowest state totals	0%		15%			
Highest state totals	18%		68%			

The above projections are based on departments reporting on Questions 39a and 39c. See Tables 25 and 27.

Q. 39c: If [mitigation (confining, slowing, etc.) of a developing major flood is within your department's scope], how far would you have to go to obtain enough specialized equipment to handle this incident?

Table U. Departments by Whether They Can Handle This Type of Incident,
Type of Plan for Using Non-Local Resources,
and Size of Community (Q. 39d)

	Can the Department Handle Mitigation of a Developing Major Flood?			
	Yes –		, ,	No, Not
	Written	Yes – But	Yes – But	Within
Population Protected	Agreement	Not Written	No Plan	Scope
250,000 to 499,999	100%	0%	0%	0%
100,000 to 249,999	67%	0%	0%	33%
50,000 to 99,999	44%	11%	0%	44%
25,000 to 49,999	28%	17%	11%	45%
10,000 to 24,999	18%	27%	8%	48%
5,000 to 9,999	20%	23%	12%	45%
2,500 to 4,999	10%	18%	13%	59%
Under 2,500	5%	12%	9%	74%
Total	13%	18%	11%	58%
National totals	13%	21%	11%	54%
Lowest state totals	4%			15%
Highest state totals	67%			68%

The above projections are based on departments reporting on Questions 39a and 39d. See Tables 25 and 28.

Q. 39d: If [mitigation (confining, slowing, etc.) of a developing major flood is within your department's scope], do you have a plan for working with others on this type of incident?

Table 17
Is Technical Rescue and EMS for a Building
With 50 Occupants After Structural Collapse
Within the Scope of Department?
by Community Size
(Q. 36a)

	Y	es	N	0	To	tal
Population of Community	Number Depts	Percent	Number Depts	Percent	Number Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	2	100.0%
100,000 to 249,999	3	100.0%	0	0.0%	3	100.0%
50,000 to 99,999	11	88.9%	1	11.1%	12	100.0%
25,000 to 49,999	18	70.0%	8	30.0%	25	100.0%
10,000 to 24,999	52	73.4%	19	26.6%	71	100.0%
5,000 to 9,999	73	71.2%	29	28.8%	102	100.0%
2,500 to 4,999	67	64.8%	36	35.2%	103	100.0%
Under 2,500	163	44.8%	201	55.2%	364	100.0%
Total	388	61.6%	294	38.4%	682	100.0%

Numbers may not add to totals due to rounding.

Q. 36a: Is [technical rescue and EMS for a building with 50 occupants after structural collapse] within your department's scope?

Table 18
For Departments Where Technical Rescue and EMS For a Building With 50 Occupants After Structural Collapse Is Within Their Scope, How Far Do They Have to Go to Obtain Sufficient People With Specialized Training to Handle Such an Incident?

by Community Size
(Q. 36b)

	Local Regional		onal	State		National		Total		
Population of Community	Number Depts	Percent	Number Depts	Percent	Number Depts	Percent	Number Depts	Percent	Number Depts	Percent
250,000 to 499,999	0	0.0%	2	100.0%	0	0.0%	0	0.0%	2	100.0%
100,000 to 249,999	1	33.3%	1	33.3%	1	33.3%	0	0.0%	3	100.0%
50,000 to 99,999	5	50.0%	5	50.0%	0	0.0%	0	0.0%	11	100.0%
25,000 to 49,999	3	14.3%	11	64.3%	3	14.3%	1	7.1%	18	100.0%
10,000 to 24,999	11	21.3%	30	57.4%	11	21.3%	0	0.0%	52	100.0%
5,000 to 9,999	17	23.8%	38	52.4%	16	21.4%	2	2.4%	73	100.0%
2,500 to 4,999	9	13.0%	45	67.4%	13	19.6%	0	0.0%	67	100.0%
Under 2,500	39	23.6%	101	61.8%	24	14.5%	0	0.0%	163	100.0%
Total	84	21.8%	233	60.2%	67	17.3%	3	0.8%	388	100.0%

Numbers may not add to totals due to rounding.

Q. 36b: If [technical rescue and EMS for a building with 50 occupants after structural collapse is within your department's scope], how far would you have to go to obtain enough people with specialized training for this incident?

Table 19
For Departments Where Technical Rescue and EMS For a Building With 50 Occupants After Structural Collapse Is Within Their Scope, How Far Do They Have to Go to Obtain Sufficient Specialized Equipment to Handle Such an Incident?

by Community Size
(Q. 36c)

	Lo	Local		Regional		State		National		al
Population of Community	Number Depts	Percent	Number Depts	Percent	Number Depts	Percent	Number Depts	Percent	Number Depts	Percent
250,000 to 499,999	0	0.0%	2	100.0%	0	0.0%	0	0.0%	2	100.0%
100,000 to 249,999	1	33.3%	1	33.3%	1	33.3%	0	0.0%	3	100.0%
50,000 to 99,999	3	25.0%	7	62.5%	1	12.5%	0	0.0%	11	100.0%
25,000 to 49,999	3	14.3%	11	64.3%	3	14.3%	1	7.1%	18	100.0%
10,000 to 24,999	10	20.0%	29	55.6%	13	24.4%	0	0.0%	52	100.0%
5,000 to 9,999	17	23.8%	33	45.2%	19	26.2%	3	4.8%	73	100.0%
2,500 to 4,999	12	17.4%	41	60.9%	15	21.7%	0	0.0%	67	100.0%
Under 2,500	27	16.7%	109	66.7%	27	16.7%	0	0.0%	163	100.0%
Total	73	18.7%	232	59.9%	78	20.2%	5	1.2%	388	100.0%

Numbers may not add to totals due to rounding.

Q. 36c: If [technical rescue and EMS for a building with 50 occupants after structural collapse is within your department's scope], how far would you have to go to obtain enough specialized equipment to handle this incident?

Table 20
For Departments Where Technical Rescue and EMS for a Building With 50 Occupants After Structural Collapse Is Within Their Scope, Do They Have a Plan for Working With Others?

by Community Size
(Q. 36d)

	Yes – Written Agreement		Yes – Informal		Yes – Other		No		Total	
Population	Number		Number		Number		Number		Number	
of Community	<u>Depts</u>	Percent	Depts	Percent	Depts	Percent	Depts	Percent	Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%
100,000 to 249,999	3	100.0%	0	0.0%	0	0.0%	0	0.0%	3	100.0%
50,000 to 99,999	7	62.5%	3	25.0%	1	12.5%	0	0.0%	11	100.0%
25,000 to 49,999	11	64.3%	5	28.6%	0	0.0%	1	7.1%	18	100.0%
10,000 to 24,999	23	44.7%	18	34.0%	7	12.8%	4	8.5%	52	100.0%
5,000 to 9,999	22	30.0%	27	37.5%	5	7.5%	18	25.0%	73	100.0%
2,500 to 4,999	21	31.1%	25	37.8%	7	11.1%	13	20.0%	67	100.0%
Under 2,500	44	27.3%	77	47.3%	9	5.5%	33	20.0%	163	100.0%
Total	133	34.4%	155	40.0%	30	7.7%	70	18.0%	388	100.0%

Numbers may not add to totals due to rounding.

Q. 36d: Do you have a plan for working on others on [technical rescue and EMS for a building with 50 occupants after structural collapse]?

Table 21
Is a Hazmat and EMS Incident Involving Chemical/Biological Agents and 10 Injuries Within the Scope of Department?

by Community Size

(Q. 37a)

	Y	es	N	lo	7	Γotal
Population	Number		Number		Number	
of Community	<u>Depts</u>	Percent	<u>Depts</u>	Percent	Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	2	100.0%
100,000 to 249,999	3	100.0%	0	0.0%	3	100.0%
50,000 to 99,999	11	88.9%	1	11.1%	12	100.0%
25,000 to 49,999	18	70.0%	8	30.0%	25	100.0%
10,000 to 24,999	55	77.8%	16	22.2%	71	100.0%
5,000 to 9,999	73	71.7%	29	28.3%	102	100.0%
2,500 to 4,999	60	58.3%	43	41.7%	103	100.0%
Under 2,500	151	41.5%	213	58.5%	364	100.0%
Total	372	60.1%	310	39.9%	682	100.0%

Numbers may not add to totals due to rounding.

Q. 37a: Is [hazmat and EMS for an incident involving chemical/biological agents and 10 injuries] within your department's scope?

Table 22
For Departments Where a Hazmat and EMS Incident
Involving Chemical/Biological Agents and 10 Injuries Is Within Their Scope
How Far Do They Have to Go to Obtain Sufficient People
With Specialized Training to Handle Such an Incident?
by Community Size
(Q. 37b)

	Local		Regional		State		National		Total	
Population of Community	Number Depts	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%
100,000 to 249,999	1	33.3%	2	66.7%	0	0.0%	0	0.0%	3	100.0%
50,000 to 99,999	5	50.0%	4	37.5%	1	12.5%	0	0.0%	11	100.0%
25,000 to 49,999	4	21.4%	10	57.1%	4	21.4%	0	0.0%	18	100.0%
10,000 to 24,999	16	28.6%	33	59.2%	7	12.2%	0	0.0%	55	100.0%
5,000 to 9,999	20	27.9%	27	37.2%	22	30.2%	3	4.7%	73	100.0%
2,500 to 4,999	7	11.9%	30	50.0%	23	38.1%	0	0.0%	60	100.0%
Under 2,500	24	15.7%	83	54.9%	44	29.4%	0	0.0%	151	100.0%
Total	79	21.2%	189	50.7%	101	27.2%	3	0.9%	372	100.0%

Numbers may not add to totals due to rounding.

Q. 37b: If [hazmat and EMS for an incident involving chemical/biological agents and 10 injuries is within your department's scope], how far would you have to go to obtain enough people with specialized training for this incident?

Table 23
For Departments Where a Hazmat and EMS Incident
Involving Chemical/Biological Agents and 10 Injuries Is Within Their Scope
How Far Do They Have to Go to Obtain Sufficient
Specialized Equipment to Handle Such An Incident?
by Community Size
(Q. 37c)

	Local		Regional		State		National		Total	
Population of Community	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%
100,000 to 249,999	1	33.3%	2	66.7%	0	0.0%	0	0.0%	3	100.0%
50,000 to 99,999	3	25.0%	7	62.5%	1	12.5%	0	0.0%	11	100.0%
25,000 to 49,999	4	21.4%	10	57.1%	4	21.4%	0	0.0%	18	100.0%
10,000 to 24,999	15	26.5%	32	57.1%	9	16.3%	0	0.0%	55	100.0%
5,000 to 9,999	19	25.6%	32	44.2%	19	25.6%	3	4.7%	73	100.0%
2,500 to 4,999	6	9.5%	29	47.6%	26	42.9%	0	0.0%	60	100.0%
Under 2,500	15	10.0%	78	52.0%	57	38.0%	0	0.0%	151	100.0%
Total	64	17.1%	190	50.9%	116	31.1%	3	0.9%	372	100.0%

Numbers may not add to totals due to rounding.

Q. 37c: If [hazmat and EMS for an incident involving chemical/biological agents and 10 injuries is within your department's scope], how far would you have to go to obtain enough specialized equipment to handle this incident?

Table 24
For Departments Where a Hazmat and EMS Incident
Involving Chemical/Biological Agents and 10 Injuries Is Within Their Scope
Do They Have a Plan for Working With Others?
by Community Size
(Q. 37d)

	Yes – Written Agreement		Yes – Informal		Yes – Other		No		Total	
Population of Community	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent
250,000 to 499,999	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%
100,000 to 249,999	3	100.0%	0	0.0%	0	0.0%	0	0.0%	3	100.0%
50,000 to 99,999	7	62.5%	3	25.0%	1	12.5%	0	0.0%	11	100.0%
25,000 to 49,999	13	71.4%	5	28.6%	0	0.0%	0	0.0%	18	100.0%
10,000 to 24,999	31	56.3%	16	29.2%	5	8.3%	3	6.3%	55	100.0%
5,000 to 9,999	18	24.4%	36	48.8%	7	9.8%	12	17.1%	73	100.0%
2,500 to 4,999	21	34.1%	18	29.3%	3	4.9%	19	31.7%	60	100.0%
Under 2,500	33	22.0%	78	52.0%	12	8.0%	27	18.0%	151	100.0%
Total	127	34.0%	155	41.7%	28	7.5%	62	16.7%	372	100.0%

Numbers may not add to totals due to rounding.

Q. 37d: Do you have a plan for working on others on [hazmat and EMS for an incident involving chemical/biological agents and 10 injuries]?

Table 25
Is a Wildland/Urban Interface Fire Affecting 500 Acres
Within the Scope of Department?
by Community Size
(Q. 38a)

	١	es es		No	То	tal
Population of Community	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent
250,000 to 499,999	0	0.0%	2	100.0%	2	100.0%
100,000 to 249,999	1	33.3%	2	66.7%	3	100.0%
50,000 to 99,999	6	50.0%	6	50.0%	12	100.0%
25,000 to 49,999	14	55.0%	11	45.0%	25	100.0%
10,000 to 24,999	46	64.5%	25	35.5%	71	100.0%
5,000 to 9,999	71	69.5%	31	30.5%	102	100.0%
2,500 to 4,999	79	76.7%	24	23.3%	103	100.0%
Under 2,500	263	72.2%	101	27.8%	364	100.0%
Total	479	69.3%	203	30.7%	682	100.0%

Numbers may not add to totals due to rounding.

Q. 38a: Is [a wildland/urban interface fire affecting 500 acres] within your department's scope?

Table 26
For Departments Where a Wildland/Urban
Interface Fire Affecting 500 Acres Is Within Their Scope
How Far Do They Have to Go to Obtain Sufficient People
With Specialized Training to Handle Such an Incident?
by Community Size
(Q. 38b)

	Local		Regional		State		National		T	otal
Population of Community	Number Depts	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent	Number Depts	Percent	Number Depts	Percent
250,000 to 499,999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
100,000 to 249,999	0	0.0%	0	0.0%	1	100.0%	0	0.0%	6 1	100.0%
50,000 to 99,999	2	25.0%	5	75.0%	0	0.0%	0	0.0%	6	100.0%
25,000 to 49,999	4	27.3%	6	45.5%	4	27.3%	0	0.0%	6 14	100.0%
10,000 to 24,999	18	40.0%	24	52.5%	3	7.5%	0	0.0%	6 46	100.0%
5,000 to 9,999	29	41.5%	29	41.5%	12	17.1%	0	0.0%	6 71	100.0%
2,500 to 4,999	31	39.3%	40	50.0%	8	10.7%	0	0.0%	6 79	100.0%
Under 2,500	98	37.4%	133	50.5%	32	12.1%	0	0.0%	6 263	100.0%
Total	182	38.0%	237	49.4%	61	12.6%	0	0.0%	6 479	100.0%

Numbers may not add to totals due to rounding.

Q. 38b: If [wildland/urban interface fire affecting 500 acres is within your department's scope], how far would you have to go to obtain enough people with specialized training for this incident?

Table 27
For Departments Where a Wildland/Urban
Interface Fire Affecting 500 Acres Is Within Their Scope
How Far Do They Have to Go to Obtain Sufficient
Specialized Equipment to Handle Such An Incident?
by Community Size
(Q. 38c)

	Lo	cal	Regional		State		National		Total	
Population of Community	Number <u>Depts</u>	Percent	Number Depts	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent	Number Depts	Percent
250,000 to 499,999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
100,000 to 249,999	0	0.0%	0	0.0%	1	100.0%	0	0.0%	1	100.0%
50,000 to 99,999	2	25.0%	5	75.0%	0	0.0%	0	0.0%	6	100.0%
25,000 to 49,999	4	27.3%	6	45.5%	4	27.3%	0	0.0%	14	100.0%
10,000 to 24,999	19	42.5%	23	50.0%	3	7.5%	0	0.0%	46	100.0%
5,000 to 9,999	29	41.5%	28	39.0%	14	19.5%	0	0.0%	71	100.0%
2,500 to 4,999	25	31.5%	45	57.4%	9	11.1%	0	0.0%	79	100.0%
Under 2,500	91	34.4%	140	53.3%	32	12.2%	0	0.0%	263	100.0%
Total	170	35.4%	247	51.5%	63	13.1%	0	0.0%	479	100.0%

Numbers may not add to totals due to rounding.

Q. 38c: If [wildland/urban interface fire affecting 500 acres is within your department's scope], how far would you have to go to obtain enough specialized equipment to handle this incident?

Table 28
For Departments Where a Wildland/Urban
Interface Fire Affecting 500 Acres Is Within Their Scope
Do They Have a Plan for Working With Others?
by Community Size
(Q. 38d)

		Yes – Written Agreement		Yes – Informal		Yes – Other		No		otal
Population of Community	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent
250,000 to 499,999	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
100,000 to 249,999	1	100.0%	0	0.0%	0	0.0%	0	0.0%	1	100.0%
50,000 to 99,999	5	75.0%	2	25.0%	0	0.0%	0	0.0%	6	100.0%
25,000 to 49,999	13	90.9%	1	9.1%	0	0.0%	0	0.0%	14	100.0%
10,000 to 24,999	30	65.0%	14	30.0%	2	5.0%	0	0.0%	46	100.0%
5,000 to 9,999	41	57.5%	25	35.0%	2	2.5%	4	5.0%	71	100.0%
2,500 to 4,999	32	40.0%	33	41.8%	9	10.9%	6	7.3%	79	100.0%
Under 2,500	117	44.4%	129	48.9%	12	4.4%	6	2.2%	263	100.0%
Total	237	49.4%	203	42.3%	24	5.1%	15	3.2%	479	100.0%

Numbers may not add to totals due to rounding.

Q. 38d: Do you have a plan for working on others on [wildland/urban interface fire affecting 500 acres]?

Table 29
Is Mitigation of a Developing Major Flood
Within the Scope of Department?
by Community Size
(Q. 39a)

	Y	es	I	No	Total		
Population of Community	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent	
50,000 to 499,999	2	100.0%	0	0.0%	2	100.0%	
100,000 to 249,999	2	66.7%	1	33.3%	3	100.0%	
50,000 to 99,999	7	55.6%	5	44.4%	12	100.0%	
25,000 to 49,999	14	55.0%	11	45.0%	25	100.0%	
10,000 to 24,999	37	52.4%	34	47.6%	71	100.0%	
5,000 to 9,999	56	55.0%	46	45.0%	102	100.0%	
2,500 to 4,999	42	41.1%	61	58.9%	103	100.0%	
Under 2,500	95	26.2%	269	73.8%	364	100.0%	
Total	256	41.9%	426	58.1%	682	100.0%	

Numbers may not add to totals due to rounding.

Q. 39a: Is [mitigation (confining, slowing, etc.) of a developing major flood] within your department's scope?

Table 30
For Departments Where Mitigation of a Major Flood Is Within Their Scope
How Far Do They Have to Go to Obtain Sufficient People
With Specialized Training to Handle Such an Incident?
by Community Size
(Q. 39b)

	Lo	cal	Reg	ional	St	ate	Nat	ional	Т	otal
Population of Community	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	<u>Percent</u>	Number Depts	Percent
50,000 to 499,999	0	0.0%	0	0.0%	2	100.0%	0	0.0%	2	100.0%
100,000 to 249,999	0	0.0%	2	100.0%	0	0.0%	0	0.0%	2	100.0%
50,000 to 99,999	3	40.0%	3	40.0%	1	20.0%	0	0.0%	7	100.0%
25,000 to 49,999	1	9.1%	4	27.3%	8	54.5%	1	9.1%	14	100.0%
10,000 to 24,999	8	21.2%	15	39.4%	14	36.4%	1	3.0%	37	100.0%
5,000 to 9,999	18	31.3%	19	34.4%	18	31.3%	2	3.1%	56	100.0%
2,500 to 4,999	10	23.3%	16	36.7%	16	36.7%	1	3.3%	42	100.0%
Under 2,500	24	25.0%	42	43.8%	30	31.3%	0	0.0%	95	100.0%
Total	63	24.7%	100	39.0%	87	34.1%	6	2.2%	256	100.0%

Numbers may not add to totals due to rounding.

Q. 39b: If [mitigation (confining, slowing, etc.) of a developing major flood is within your department's scope], how far would you have to go to obtain enough people with specialized training for this incident?

Table 31
For Departments Where Mitigation of a Major Flood Is Within Their Scope
How Far Do They Have to Go to Obtain Sufficient
Specialized Equipment to Handle Such An Incident?
by Community Size
(Q. 39c)

	Loc	cal	Regi	ional	Sta	ate	Nati	onal	T	otal
Population of Community	Number Depts	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent	Number <u>Depts</u>	<u>Percent</u>	Number Depts	Percent
50,000 to 499,999	0	0.0%	0	0.0%	2	100.0%	0	0.0%	2	100.0%
100,000 to 249,999	0	0.0%	2	100.0%	0	0.0%	0	0.0%	2	100.0%
50,000 to 99,999	3	40.0%	3	40.0%	1	20.0%	0	0.0%	7	100.0%
25,000 to 49,999	1	9.1%	4	27.3%	8	54.5%	1	9.1%	14	100.0%
10,000 to 24,999	8	21.2%	15	39.4%	14	36.4%	1	3.0%	37	100.0%
5,000 to 9,999	18	31.3%	19	34.4%	18	31.3%	2	3.1%	56	100.0%
2,500 to 4,999	10	23.3%	16	36.7%	16	36.7%	1	3.3%	42	100.0%
Under 2,500	24	25.0%	42	43.8%	30	31.3%	0	0.0%	95	100.0%
Total	63	24.7%	100	39.0%	87	34.1%	6	2.2%	256	100.0%

Numbers may not add to totals due to rounding.

Q. 39c: If [mitigation (confining, slowing, etc.) of a developing major flood is within your department's scope], how far would you have to go to obtain enough specialized equipment to handle this incident?

Table 32
For Departments Where Mitigation of a Major Flood Is Within Their Scope
Do They Have a Plan for Working With Others?
by Community Size
(Q. 39d)

		Written ement	Yes Info	s – rmal		es – ther	N	No		Total	
Population of Community	Number <u>Depts</u>	Percent	Number Depts	Percent	Number <u>Depts</u>	Percent	Number <u>Depts</u>	Percent	Number Depts	Percent	
50,000 to 499,999	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%	
100,000 to 249,999	2	100.0%	0	0.0%	0	0.0%	0	0.0%	2	100.0%	
50,000 to 99,999	5	80.0%	1	20.0%	0	0.0%	0	0.0%	7	100.0%	
25,000 to 49,999	7	50.0%	4	30.0%	0	0.0%	3	20.0%	14	100.0%	
10,000 to 24,999	12	33.3%	18	48.5%	1	3.0%	6	15.2%	37	100.0%	
5,000 to 9,999	20	36.4%	20	36.4%	3	6.1%	12	21.2%	56	100.0%	
2,500 to 4,999	10	24.1%	15	34.5%	4	10.3%	13	31.0%	42	100.0%	
Under 2,500	18	18.8%	42	43.8%	3	3.1%	33	34.4%	95	100.0%	
Total	77	30.2%	100	39.2%	12	4.7%	66	25.9%	256	100.0%	

Numbers may not add to totals due to rounding.

Q. 39d: Do you have a plan for working on others on [mitigation (confining, slowing, etc.) of a developing major flood]?

APPENDIX 1: SURVEY METHODOLOGY

The Fire Service Needs Assessment Survey was conducted as a census, with appropriate adjustments for non-response. The choice of a census approach rather than a random sample approach was based on two considerations.

First, the survey is a specific requirement of PL 106-398 in Section 1701, Sec. 33(b), and the larger act is designed to provide the U.S. Fire Service with appropriate assistance for their legitimate needs. Given this intended application, there was general agreement that fire departments would view the survey as an opportunity rather than a burden, an opportunity that every department would wish to be given.

Second, current usage of some of the types of equipment and training to be addressed in the survey was believed to be sufficiently rare that the study would need the largest possible base for analysis.

The NFPA used its own list of local fire departments as the mailing list and sampling frame of all fire departments in the U.S. In all, 26,354 fire departments were mailed survey forms. The NFPA Fire Service Inventory file served as the basis for the Fire Service Needs Assessment Survey project. The Fire Service Inventory file classifies departments based on their administrative and reporting responsibilities. We tried not to send forms to departments that referred to other departments for their reporting. This helped minimize the number of duplicates, but it also means that the total number of departments in the state, as reflected in the state's own records. The data in this state report is least affected by this discrepancy in results reported separately by community size. Any statistics for the entire state must be used with caution and may not give sufficient weight to conditions in the smallest communities.

The content of the survey was developed by NFPA, in collaboration with an ad hoc technical advisory group consisting of representatives of the full spectrum of national organizations and related disciplines associated with the management of fire and related hazards and risks in the U.S. A copy of the survey form is provided at the end of the report.

Overall, NFPA received 12,240 completed surveys and edited, coded, and keyed 8,416 surveys for analysis. The overall response rate was 46%, which is unusually high for a survey involving a large number of smaller departments. The better-than-expected response is due in part to the subject of the survey, its intended use, and undoubtedly the events of September 11.

For Missouri, we analyzed responses from 347 of the 682 fire departments in the state.

All statistics calculated as percents of firefighters are based on percents of departments by population interval, combined with national figures on ratios of firefighters per department between population intervals. Ratios have not been developed for individual states.

APPENDIX 2: SURVEY FORM

The next four pages contain the Needs Assessment Survey form.

It was printed on legal size paper $(8-1/2" \times 14")$ but has been shrunk to fit letter size paper here.

OMB NO 3067-0294 Expiration date: 04/30/02

FEDERAL EMERGENCY MANAGEMENT AGENCY U.S. FIRE ADMINISTRATION SURVEY OF THE NEEDS OF THE U.S. FIRE SERVICE

Г	¬
'	'
L	
PART I. IDENTIFYING INFORMATION	
Name of person completing form:	Date:
Title of person completing form:Non-emergency phone number: ()	Fax: ()
e-mail address:	
Please use enclosed postpaid enve	elope and return completed form to:
WANTED TO THE STATE OF THE STAT	Fire Analysis and Research Division
	1 Batterymarch Park Quincy, MA 02269-9101 USA
NEPA	
INTERNATION	L .
If you fa	x the form back, please reduce it first to 8-1/2" x 11" size.
PART II. BASIC INFORMATION	
1. Population (Number of permanent residents) your dep	partment has <i>primary</i> responsibility
to protect (exclude mutual aid areas):	
2. Area (in square miles) your department has primary re	sponsibility
to protect (exclude mutual aid areas):	
PART III. BUDGET INFORMATION	
3. Do you have a plan for apparatus replacement on a ☐ Yes ☐ No	regular schedule?
Tes Tho	
4. Does your normal budget cover the costs of appara	atus replacement?
☐ Yes, budget covers costs	
☐ No, must raise funds or seek special appropriation for	ourchase
(Questions 5 and 6 are for all or mostly volunteer or call	departments ONLY. Indicate % for each, so percents sum to
100 for each question):	
5. What share (%) of your budgeted revenue is from:	
Payments per call Other local payments	_
Fund raising (e.g., donations, raffles, suppers, even	
Other (specify)	
6. What share (%) of your apparatus was: Purch	ased new Donated new
Purchased used Donated used	
Converted vehicles not designed as FD apparatus	
Other (specify)	
PART IV. PERSONNEL AND THEIR CAPABILITIES	
7. Total number of full-time (career) uniformed fire fig	
8. Total number of active part-time (call or volunteer)	-
9. Average number of career/paid firefighters on duty	available to respond to emergencies
(total number for department): 10. Average number of call/volunteer personnel who	respond to a mid-day house fire:
11. Number of on-duty career/paid personnel assigne	
1-2 3 4 5+ Not appli	
12. Number of on-duty career/paid personnel assigne	
1-2 3 4 5+ Not appli	,

PART VI. FACILITIES, APPARATUS, AND EQUIPMENT	
23. Number of fire stations:	
Number over 40 years old: Number having backup power:	
Number equipped for exhaust emission control (e.g., diesel exhaust extraction):	
24. Number of engines/pumpers in service: (Numbers by age should sum to total.)	
Total: 0-14 years old: 15-19 years old:	
20-29 years old: 30 or more years old: Unknown age:	
25. Number of ladders/aerials in service:	
Number of buildings in community that are 4 or more stories in height: (Check one)	
□ None □ 1–5 □ 6–10 □ 11 or more	
26. Number of ambulances or other patient transport vehicles:	
27. Portable radios. a. How many of your emergency responders on-duty on a single shift car	n be equipped with
portable radios? (Check one)	
□ All □ Most □ Some □ None	
b. How many of your portable radios are water-resistant? (Check one)	
□ All □ Most □ Some □ None □ Don't know	
c. How many of your portable radios are intrinsically safe in an explosive atmosphere? (Check of	one)
□ All □ Most □ Some □ None □ Don't know	
d. Do you have reserve portable radios equal to or greater than 10% of your in-service radios? ((Check one)
☐ Yes ☐ No ☐ Don't know	
28. Self-contained breathing apparatus (SCBA). a. How many emergency responders on-dut	ty on a single
shift can be equipped with SCBA? (Check one)	
□ All □ Most □ Some □ None	
b. How many of your SCBA are 10 years old or older? (Check one)	
□All □ Most □ Some □ None □ Don't know	
29. Personal alert safety system (PASS) devices.	
How many of your emergency responders on-duty on a single shift are equipped with PASS dev	rices? (Check one)
□ All □ Most □ Some □ None	(Grissia Gris)
30. Personal protective clothing.	
a. How many of your emergency responders are equipped with personal protective clothing?	
(Check one) □ All □ Most □ Some □ None	
b. How much of your personal protective clothing is at least 10 years old?	
(Check one) □ All □ Most □ Some □ None □ Don't know	
c. Do you have reserve personal protective clothing sufficient to equip 10% of your emergency	
responders? (Check one)	
responders: (Offect offe) a res a no a boilt know	
PART VII. COMMUNICATIONS AND COMMUNICATIONS EQUIPMENT:	
31. Multi-agency communication.	
a. Can you communicate by radio on an incident scene with your federal, state, and local emerg	ioney roenoneo nartnore
(includes frequency compatibility)?	gency response partners
☐ Yes ☐ No ☐ Don't know	
b. If yes, how many of your partners can you communicate with at an incident scene?	
□ All □ Most □ Some	
32. Map coordinate system.	t
a. Do you have a map coordinate system you would use to help direct your emergency response	e partners to specific
locations?	
b. If yes, what system do you use? (Check one)	
□ Based on longitude/latitude	
□ Local system – Map Grid/Street Address/Box Alarm Number	
□ Based on Military Grid Reference System (MGRS)	
□ State Plane Coordinate System □ Other (specify)	
33. Telephone communication . Do you have 911 or similar system? ☐ Yes, 911 basic	
☐ Yes, 911 enhanced ☐ Yes, other 3-digit system (specify)	□ No
34. Dispatch. a. Who has primary responsibility for dispatch operations? (Check one)	
☐ Fire department ☐ Police department ☐ Private company	
☐ Combined public safety agency ☐ Other (specify)	
b. Do you also have a backup dispatch facility? ☐ Yes ☐ No	
35. Internet access. a.Does your department have Internet access? □ Yes □ No	
b. If yes, describe the access you have. (Check one) ☐ All personnel have individual access	
☐ One access point per station, multiple stations ☐ One access point at the only station	
□ Access at headquarters, but there are multiple stations □ Other (specify)	

PART VIII. ABILITY TO HANDLE UNUSUALLY CHALLENGING INCIDENTS

Each question is based on an example incident. We want to know whether you have enough local resources to handle such an incident, and if not, how far you would have to go to obtain sufficient resources. Both the type and the size of the incident are specified to give you something specific to react to and a challenge that will often need more than local resources.

36. Technical rescue and EMS for a building with 50 occupants after structural collapse.
a. Is this type of incident within your department's scope? (Check one) ☐ Yes ☐ No
b. If yes, how far would you have to go to obtain enough people with specialized training for this incident?
(Check one) ☐ Local would be enough ☐ Regional ☐ State ☐ National
c. If yes, how far would you have to go to obtain enough specialized equipment to handle this incident?
(Check one) ☐ Local would be enough ☐ Regional ☐ State ☐ National
d. Do you have a plan for working with others on this type of incident? (Check one)
☐ Yes, written agreement ☐ Yes, informal ☐ Yes, other (specify) ☐ No
37. Hazmat and EMS for an incident involving chemical/biological agents and 10 injuries.
a. Is this type of incident within your department's scope? (Check one) ☐ Yes ☐ No
b. If yes, how far would you have to go to obtain enough people with specialized training for this incident?
(Check one) ☐ Local would be enough ☐ Regional ☐ State ☐ National
c. If yes, how far would you have to go to obtain enough specialized equipment to handle this incident?
(Check one) ☐ Local would be enough ☐ Regional ☐ State ☐ National
d. Do you have a plan for working with others on this type of incident? (Check one)
☐ Yes, written agreement ☐ Yes, informal ☐ Yes, other (specify) ☐ No
38. Wildland/urban interface fire affecting 500 acres.
a. Is this type of incident within your department's scope? (Check one) ☐ Yes ☐ No
b. If yes, how far would you have to go to obtain enough people with specialized training for this incident?
(Check one) □ Local would be enough □ Regional □ State □ National
c. If yes, how far would you have to go to obtain enough specialized equipment to handle this incident?
(Check one) □ Local would be enough □ Regional □ State □ National
d. Do you have a plan for working with others on this type of incident? (Check one)
☐ Yes, written agreement ☐ Yes, informal ☐ Yes, other (specify) ☐ No
39. Mitigation (confining, slowing, etc.) of a developing major flood.
a. Is this type of incident within your department's scope? (Check one) ☐ Yes ☐ No
b. If yes, how far would you have to go to obtain enough people with specialized training for this incident?
(Check one) ☐ Local would be enough ☐ Regional ☐ State ☐ National
c.lf yes, how far would you have to go to obtain enough specialized equipment to handle this incident?
(Check one) ☐ Local would be enough ☐ Regional ☐ State ☐ National
d. Do you have a plan for working with others on this type of incident? (Check one)
☐ Yes, written agreement ☐ Yes, informal ☐ Yes, other (specify) ☐ No
PART IX. NEW AND EMERGING TECHNOLOGY
40. Thermal imaging cameras. Do you have any now or plan to acquire any?
(Check one) ☐ Now own ☐ Plan to have in 1 year ☐ Plan to have in 5 years ☐ No plan to acquire
41. Mobile data terminals. Do you have any now or plan to acquire any?
(Check one) ☐ Now own ☐ Plan to have in 1 year ☐ Plan to have in 5 years ☐ No plan to acquire
42. Advanced personnel location equipment. Do you have any now or plan to acquire any?
(Check one) ☐ Now own ☐ Plan to have in 1 year ☐ Plan to have in 5 years ☐ No plan to acquire
43. Equipment to collect chem/bio samples for analysis elsewhere. Do you have any now or plan to acquire any
(Check one) ☐ Now own ☐ Plan to have in 1 year ☐ Plan to have in 5 years ☐ No plan to acquire
PART X. YOUR TOP 3 NEEDS IN YOUR WORDS.
44
44
45
TO
46